

Village Of Nyack Incorporated February 27, 1883



Asst Building Inspectors Paul Rozsypal Scott Fine Fire Inspector David Smith

BUILDING DEPARTMENT 9 North Broadway Nyack, New York 1096-2697 (845) 358 - 4249 / FAX: (845) 358 - 0672

www.nyack-ny.gov

buildingdepartment@nyack-ny.gov

MANNY A. CARMONA Chief Building Inspector

FORM REVISED: 11/01/2023

SIGN PERMIT APPLICATION

Sign Typ	Ot - Aumin		
	e: Awning Directiona Projecting Tem	Poidia 🗆 Arail 🗅 Mind	C11.
₽ Er	rection Moving Enlarge	Temont =	
Project Street	Address: 67 S FROMM	Mar	□ Redesign
Business Suita		Application Date	te: 41625
	# Floor Level: T	ax Map Designation: Section	46 Block Lot 6
Property Classif	fication: Rugus		1000
Proposed Use of	f Space: Chac4))
Number of Busin	nesses in the Building:	Number of Signs on at	
Project Location:	On the FAST side of	Number of Signs on th	ie Building:
from the intersec	: On the <u>FAST</u> side of _	approximately	feet North
	0.11	2 000132003-01	in the Village of Nyack.
		Zoning District:	MU -1
freestanding	on: (please attach a narrativesummary)		
	Sign and erecting CONTAINAME/ADDRESS	a New W	eestanding sign
Applicant	Sign Co.	PHONE #/ E-MAIL	LICENSE #
Property Owner	MACH REPLY THE ME		
	675 BRODENA MARIL AM	Whatst Juney 845.893	-6412
Tenant	67 S BRODDIAM NYDUL MY	10.1911 HELLY SPACE & KS	selleny, con
Sign Company	199 Silves	D.	
	376 Part 59 MACK	845-304-4199	25-04
Sign Installer	3 10 0100	My Glas CAASIGM. CO	m
Architect			
lectrician			

APPLICATION REFERRAL, REVIEW AND STAFF REPORT

§ 360-5.4B(6) Outstanding municipal violations. Applications for review and approval of any project shall not be deemed complete while there are outstanding municipal violations the application is complete and ready for review.
☑ Complete ☐ Incomplete
(1) If the application is determined to be complete, the applicant will be notified of the additional number of copies required to be submitted for the application to then be processed according to the procedures set forth in this code. An application will be considered complete if it is submitted in the required form, includes all required information and supporting materials, and is accompanied by the applicable fee. The determination of completeness shall not be based upon the perceived merits of the sign proposal.
(2) If an application is determined to be incomplete, the Chief Building Inspector shall provide notice to the applicant along with an explanation of the application's deficiencies. No further processing of an incomplete application shall occur until the deficiencies are corrected in a future resubmittal. The inclusion of false information in an application is grounds for determination that the application is incomplete.
§ 360-5.1 ARB Decision-making body pursuant to Table 5-1 Sign Permit: Summary of Decision-making Authority in accordance with § 360-5.13.
§ 360-5.13C(3) The ARB shall approve, approve with modifications or disapprove the application within 60 days of receipt of the complete application, except where a sign application is part of a site plan or special permit application, in which case the sign shall be reviewed as part of that application. As part of a site plan or special permit application, the decision-making body shall refer the application to the ARB for a recommendation on the application.
Referral Board: Date:
ARB Recommendation: □Approved □Disapproved □Condition(s) Date:
§ 360-5.13C(6) The Building Inspector shall issue a sign permit within five calendar days of receipt of the ARB's decision, subject to delivery to the Building Inspector of an insurance certificate, in a form and amount acceptable to the Building Inspector, naming the Village as an additional insured under the permit owner's comprehensive general liability coverage. Such certificate shall provide that the insurance cannot be canceled without 30 days' prior notice to the Village of Nyack Chief Building Inspector. The permit shall be conditioned upon the permit owner keeping such insurance in effect.
☐ Permit Issued: ☐ Insurance Provided:

§ 360-5.13D Criteria. In reviewing a sign permit application, the ARB shall take into consideration the purpose and intent of this section and all relevant standards of this chapter, including the sign standards of § 360-4.11, as well as strength of illumination of the sign and whether its design, materials and placement are appropriate for the building on which it will be located and compatible with nearby buildings and structures. For properties designated as a landmark or located within a designated historic district, the application must also meet the standards applicable to a certificate of appropriateness.

§ 360-4.11B(1) No exterior or interior sign, advertising display or structure, poster or device shall be erected, moved to another portion of the building, enlarged or reconstructed or relettered or redesigned without the owner first having obtained and paid for and having in force a permit therefore from the Architectural Review Board (ARB).

§ 360-4.11C Restrictions.

No signs other than signs placed by agencies of the government shall be erected on any

public property or public right-of-way u of Trustees (VBT).	nless consent is first obtained from the Village Board
Date of VBT Approval	
No sign shall be placed on any private	property without the consent of the owner thereof.
No sign shall be placed or painted on a	
	ole except for utility identification or similar purposes.
☐ Compliant	☐ Not compliant
trim.	erate, conceal or destroy architectural and decorative
☑ Compliant	☐ Not compliant
All signs shall be of good quality mater	ials.
☐ Compliant	☐ Not compliant
The size and content of the sign shal provision of information to patrons see	be the minimum essential for legibility and for the king the particular use described on such sign.
☐ Compliant	☐ Not compliant
Signs must be placed so that they are ithe lot on which they are placed.	ntegrated with design elements of the building(s) on
☐ Compliant	☐ Not compliant

§ 360-4.11D Permitted signs in residential districts.			
☐ In the SFR, TFR and MFR Dison the premises:	strict, provided	that they are accesso	ry to a principal use
(1) One nonilluminated nameplate feet.	e or professiona	al sign with an area of r	not over two square
☐ Compliant	☐ Not co	ompliant	
(2) One temporary nonilluminated sign advertising the sale or rental of the premises on which such sign is situated, with an area of not over four-square feet. The signs are not permitted to obscure view lines from roads or project on to sidewalks.			
☐ Compliant	□ Not co	ompliant	
(3) One indirectly illuminated bulletin board or other announcement sign for civic, educational or religious institutions, with an area of not over 12 square feet.			
☐ Compliant	☐ Not co	mpliant	
§ 360-4.11E Permitted signs in	nonresidential	districts.	
In the DMU-1, DMU-2, RMU, OMU and WF Districts, the sign area for all signs on the property, in square feet, shall not be greater than two times 2/3 the width, in feet, of the storefront of the front facade of the commercial establishment to which the sign refers.			
Existing Sign(s) 24 s	Existing Sign(s) 24 sq. ft. Proposed Sign(s) 29.1 sq. ft.		
Total Signs2\frac{1}{2} s	-		
$\frac{30}{\text{Façade width}} \div 3 \times 2 = \frac{30}{20} \times 2 = \frac{30}{20}$	<u>√</u> sign(s) sq	. ft. Compliant	□ Not compliant
☐ In the CC, M and H Districts,	the maximum s	ign area shall be 10%	of the total surface
area of the building's front facade lesser. The total area of signage for the area of signage that would be	e upon which it or all businesses allowed if there	is faced or 80 square s or tenants in a buildin were a single tenant.	feet, whichever is ag shall not exceed
Existing Sign(s)s	q. ft. Propos	sed Sign(s)s	q. ft.
Total Signs%	sq. ft.	Front Façade	sq. ft.
☐ Compliant	□ Not comp	liant	
The following signs are permitted	in the DMU-1,	DMU-2, RMU, OMU, O	CC, WF, M and H

☐ (1) Wall Sign - flat and projecting: ☐ (a) one flat wall sign may be erected parallel to the face of the building. In addition,
□ (b) one projecting wall sign may be erected perpendicular to the building or street. The following limitations shall apply:
[1] The sign may protrude up to 42 inches from the plane of the building but not closer than two feet to the curbline.
Protruding inches From curbline ft. Compliant Not compliant
[2] The bracket(s) supporting the sign shall be no more than four feet in length on a side.
Bracket(s)ft. □ Compliant □ Not compliant
[3] □ CC, □ M and □ H Districts, the bottom of the sign or the protruding portion of the bottom bracket shall be at least 10 feet above the sidewalk.
□ DMU-1 □ DMU-2 □ RMU □ OMU □ WF Districts, at least eight feet above the sidewalk or ground
Height above sidewalk ft.
[4] The size of the sign shall not exceed 15 square feet per face. Only two faces are permitted.
Sign sq. ft./face
(c) □ DMU-1 □ DMU-2 □ RMU □ OMU □ WF Districts, signage shall be designed so that it is visible and informative at the pedestrian scale. The following design standards shall apply:
[1] Street-oriented signs shall be limited to fascia bands above the store window, on the vertical fascia of an awning or on the window of the store.
☐ Compliant ☐ Not compliant
[2] Signage design shall be carefully integrated with other design elements.
☐ Compliant ☐ Not compliant
[3] All signs shall be stationary and contain no visible or moving parts.
☐ Compliant ☐ Not compliant
[4] If a sign is illuminated, the source of illumination must be shielded from streets, walkways and adjoining properties. External illumination such as gooseneck lamps, simple horizontal

strip lighting or concealed spotlights shall be utilized. The lighting fixtures shall be placed so as to not negatively impact of the composition of the facade or damage building materials.					
Illuminated	□Yes	□NO	☐ Compliant	☐ Not complia	ant
rest of the w	[5] Flat wall signs shall not project less than 1/2 inch or more than three inches beyond the rest of the wall. Any illuminating devices shall project no more than 42 inches beyond the rest of the wall or any distance above the building.				
Signi	inch(es)	Illuminatio	n inches	☐ Compliant	☐Not compliant
[6] Prohibite mounted abo	d items shove the eav	all include pr ve line of any	oduct advertisem structure and int	ent outside of any ernally illuminated	y retail space, signs signage.
□ Coi	mpliant		□ Not comp	liant	
[7] Sign copy shall be limited to the name of the business, product sold or service provided by and logo of the principal use of the premises. Telephone numbers or website addresses shall only be allowed on permanent interior signs on ground floor level windows and doors and upper floor windows (limited to a sign for a different business than is located on first story). The maximum height of letters for telephone numbers and website addresses shall be five inches on ground floor store windows and doors and three inches on upper floor windows.					
Letters Size	inc	hes / Floor	level	☐ Compliant	□Not compliant
□ N/A					
(d) Signage in the CC, M and H Districts shall be designed so that it is visible and informative at both the automobile and the pedestrian scale. The following design standards shall apply:					
[1] Internal illumination is allowed.					
Illuminated	Yes	□но			
□ [2] Flat y	all signs:				
Excluding external illuminating devices, sign shall not project more than 12 inches. Any external illuminating devices shall project no more than 42 inches beyond the rest of the wall or any distance above the building.					
Projections:	Sign	inches	Illuminatio	ninches	
☐ Con	npliant		☐ Not compli	ant	

immediately beneath the sign.
Height above sidewalkft. □ Compliant □ Not compliant
(e) Such sign or signs shall be placed so as not to obliterate, conceal or destroy architectural and decorative trim and cornices immediately above first-floor storefronts or on above stories, including at parapets and rooflines, or signs of adjacent buildings or views.
☐ Compliant ☐ Not compliant
(f) The mountings and installation hardware must be installed in such a way that it does not damage the materials of the building and all practical measure must be taken to conceal the hardware.
□ Compliant □ Not compliant
(g) Signs that do not comply shall be removed no later than 24 months after this chapter is enacted.
E(2) Freestanding signs:
(a) In the DMU-1, DMU-2, RMU, OMU, WF and H Districts, where the building is set back from the front lot line a distance of 25 feet or more, not more than one freestanding sign consisting of either a pole sign or a monument sign, with an area of not more than 20 square feet per face, may be erected not nearer than six feet to any building.
Front lot line setback ft. Pole Monument Sign 14.1 sq. ft./face
Sign distance from Bldg. of ft. Compliant Not compliant 7/28/2025 No such freestanding signs shall encroach on any required yard, except in a motor vehicle
service station, and not more than one standard sign may be erected in a required yard for purposes of identification.
Compliant Not compliant 2BA Approved: 7/28/2005
The maximum height of a pole sign shall be 15 feet and the maximum height of a monument sign shall be four feet, measured to the topmost portion of the sign above grade. Any building availing itself of a freestanding sign may not erect a perpendicular sign as provided in § 360-4.11E(1)(b).
Sign height: Pole O The compliant □ Not

(b) In the CC District, a maximum of one freestanding sign per property consisting of either a pole sign or a monument sign shall be permitted. The maximum sign area shall be 60 square feet per face. A pole sign shall be set back a minimum of 15 feet from a property line except that it shall be back a minimum of 50 feet from any residential use or zone boundary. A monument sign shall be set back a minimum of five feet from any property line.
□ Pole □ Monument Signsq. ft./face Property lot line setbackft.
Setback from residential use or zone boundaryft.
□ Compliant □ Not compliant
The maximum height of a pole sign shall be 25 feet and the maximum height of a monument sign shall be six feet, measured to the topmost portion of the sign above grade. Any building availing itself of a freestanding sign may not erect a perpendicular sign as provided in § 360-4.11E(1)(b).
Sign height: □ Poleft. □ Monument ft. □ Compliant □ Not compliant
(c) ☐ In the M and H Districts, a maximum of one monument sign shall be permitted. The maximum sign area shall be 60 square feet per face. The sign shall be set back a minimum of five feet from any property line.
Signsq. ft./face Lot line setbackft. □Compliant □Not compliant
The maximum sign height shall be six feet, measured to the topmost portion of the sign above grade. Any building availing itself of a freestanding sign may not erect a perpendicular sign as provided in § 360-4.11E(1)(b).
Sign height:ft.
(d) Sign copy shall be limited to the name of the business, product sold or service provided by and logo of the principal use of the premises.
□ Compliant □ Not compliant
(3) ☐ Directional signs:
Directional signs necessary for proper traffic flow and safety. All directional signs shall be subject to approval by the Architectural Review Board, which shall have discretion over the placement and number of signs permitted on the premises, bearing in mind the Village's stated policy favoring reduction in the number of distracting signs. The area of each such sign shall not exceed two square feet.
Number of signs Signsq. ft./each □ Compliant □ Not compliant

of

Signs that do not comply shall be removed no later than 24 months after this chapter is enacted.		
(4) Marquees:		
A marquee for a theater or public building shall be permitted.		
(5) Gas station signs:		
Gas stations shall be allowed two signs on a freestanding pole with gas pricing information only allowed on the second sign. The area of signage of the price sign may be 22 square feet per face to accommodate the pricing information.		
Number of signs sq. ft./face □Compliant □Not compliant		
All other requirements of Subsection E(2) shall apply: (provide district requirements)		
Signs that do not comply shall be removed no later than 24 months after this chapter is enacted.		
(6) ☐ Flag signs:		
(a) Flag sign is an advertising sign printed on a fabric flag of non-shiny material and flown from a pole that has a maximum length of six feet and is attached to a building at a minimum height of six feet if the flag is attached to a pole mounted to a building at an angle		
from horizontal of 45° or greater		
Pole: Lengthft. Height on Bldgft. Angle°		
or 10 feet if the flag is attached to a pole mounted to a building at an angle from horizontal of less than 45°, where the flag has the maximum size of 15 square feet, and is no higher on the building than 12 feet, and is not closer than three feet to the curbline.		
Pole: Lengthft. Height on Bldgft. Angle°		
Flag sizesq. ft. From curblineft. Compliant Not compliant		
The flag sign shall not have product advertising, but can have the name and/or logo of the business or advertise that the business is "Open," "Closed," or "Sale." Only two faces are permitted.		
Type of advertisement □ Compliant □Not compliant		
One flag sign is permitted for each public entrance of a building, with a maximum of one flag sign per business, and shall only be displayed when the business is open. This does not apply to any official national, state or international flag.		

□ Compliant	☐ Not compliant	#1	
(b) A flag sign is permitted advertising is displayed, its dand its signs and it does not a	lesign is integrated with othe	provided that no specific product er design elements of the building rchitectural features.	
☐ Compliant	□Not compliant		
(c) Signs that do not com chapter is enacted.	ply shall be removed no i	ater than 24 months after this	
(7) Awning signs:)	
A sign may not be suspended from or attached to an awning. Signs may be painted on or made a part of an awning. Such signs painted on an awning shall be computed in the allowable sign area, except for painted signs on awning valances solely identifying the store name with a letter size not exceeding six inches in height.			
Sign Area sq. ft. Vala	nce letter sizeinches	□Compliant □Not compliant	
(8) ☐ Permanent interior si	gns on ground floor level:		
24 inches from the inside will	ndow glass or door glass of c and similar signs, includi	ainted on or placed or hung within any building, including all neon, ng words, logos, product signs,	
Location inches Ty	pe of sign □	Compliant □Not compliant	
(a) In no instance may a permaggregate storefront window	nanent and temporary interior area or 36 square feet.	sign cover more than 15% of the	
Coverage% /	_sq. ft. ☐ Compliant	□Not compliant	
Interior permanent signs the be removed no later than 24	at fail to comply with all p I months after this chapter	rovisions of this section shall is enacted.	
(9) Dermanent interior si	gns on <u>upper floor</u> window	/s :	
24 inches from the inside wir	ndow glass or door glass of and similar signs including wo	ainted on or placed or hung within any building, including all neon, ords, logos, product signs, border	
Location inches Ty	pe of sign	☐ Compliant ☐ Not compliant	

Such interior signs on upper floor wind area. The height of letters for telepholinches.	dows may not ne numbers a	cover more than and web address	20% of the window es is limited to three
Coverage % Letters Size_	inches	☐ Compliant	□Not compliant
Signs that do not comply shall be rei	moved no late	er than 24 month	s after this chapter
(10) ☐ Temporary signs:			
Temporary signs, which are paper, casigns.			
Temporary interior signs are located windoors and include open, closed, and sa allowed and do not need permits when	ale signs, men together they	us, lists of produc do not exceed for	ets and services, are ur square feet.
Signsq. ft. Location	inches	☐ Compliant	□Not compliant
Temporary and permanent signs together cannot cover more than 15% of the ground floor window area or 36 square feet; or 20% of upper floor window area.			
Coverage sq. ft F	loor level	_ □ Compliant	☐Not compliant
(a) Temporary signs are allowed for up to for which an application for a permanent	o 30 days with t sign has bee	nout a sign permit. en submitted.	This includes signs
Date installed:	Rem	oval Date	
(b) A maximum of two temporary interior signs which do not need permits are allowed along with the exceptions below:			
Number of sings	□ Co	ompliant 🗆 N	ot compliant
(c)Temporary signs shall not overlap, co	over or obscur	e permanent sign	s.
☐ Compliant ☐ Not compliant			
(d) ☐ Contractor signs:			
One contractor sign per frontage, with a maximum of two sides, shall be permitted floor level and shall be erected no more for which a valid permit has been issued completion of the project or expiration of	ed, provided th than five days ued and s <u>hal</u> l	hat such signs are prior to the begine be removed wit	e located at ground ning of construction hin_five_days_after

include the proper contractor and of the	name of the contract Building Inspector for	ctor and must list the telephone number of the complaints.
Sign sq. ft.	Location_	Date Installed
Permit #	Date Permit issued	Date Permit expires
(e) A temporary sign permitted for a period approval.	n announcing the an	ticipated occupancy of a site or building may be see months without the Chief Building Inspector's
Date installed:		Removal Date:
than 40% of the wind	low area if an interior	
Sign sq. ft.	Location_	Coverage%
(f) Special event	, holiday signs and	announcement signs:
Building Inspector's a cover more than 15%	approval. These sign of the window area	J, OMU, CC, WF and H Districts without the Chief s may be placed in the window only and may not together with other signs. These signs may be put shall be removed within one week of the event.
Coverage% (g) □ Real estate s	Date installed: ale or rental signs:	Removal Date 20+ Compliant 2BA Approved: 7/281
May be permitted as	s long as the size of ore than one sign pe	such signs does not exceed a maximum of six renancy per frontage at ground level. Such signs nonth intervals.
Signsq. ft. Lo	cationD	ate installed: Renewal Date
(h)□Temporary signification s		campaigns, drives or events of civic, s:
Building Inspector's a	pproval for a period n nd may not exceed s	OMU, CC and WF Districts without the Chief of to exceed 15 days. These signs may be placed six square feet in area. They should not overlap,
Date installed:		Removal Date
Signsq. ft.	•	Location

(i) Temporary signs that fail to comply with all provisions of this section shall be removed by the effective date of this chapter.
F. Unsafe signs.
(1) The owner of a sign and the owner of the premises on which such sign is located shall be jointly liable to maintain such sign, including its illumination sources, in a neat and orderly condition and good working order at all times and to prevent the corrosion, rotting or other deterioration in the physical appearance or safety of such sign.
□ Compliant □Not compliant
(2) If the Chief Building Inspector or his designee shall find that any sign regulated herein is unsafe, insecure, damaged, deteriorated or a menace to the public or has been erected in violation of the provisions of this section, he shall give written notice to the sign owner or the owner of the premises on which such sign is located. Said sign and all appurtenances shall be taken down and removed by the owner, agent or person having the beneficial use of the building or structure upon which such sign may be found within 30 days after written notification from the Building Inspector.
□ Compliant □Not compliant
(3) If, in the determination of the Chief Building Inspector, a sign is an immediate peril to persons or property, he may cause such sign to be removed summarily and without notice and the expense of said removal, when certified by said Chief Building Inspector to the Village Board, shall be paid by the Village and such amount shall thereupon be and become a lien upon the premises in question and shall be levied and collected in the same manner and under the same penalties as an assessment for a public improvement.
□ Compliant □Not compliant
G. □ Prohibited signs:
The following types of signs or artificial lighting are prohibited:
(1) 🗆 Billboards.
(2) □ Flashing or animated neon, LED, electronic reader board or electronic graphics or other artificial light sign or device. Flashing signs, including any sign or device on which the artificial light is not maintained stationary and constant in intensity and color at all times when in use.

(3) \square Internally illuminated (including neon) signs located on the exterior of buildings, except in the CC and M zoning districts.
(4) ☐ Signs that compete for attention with or may be mistaken for a traffic signal.
(5) □ Outdoor signs made of impermanent materials, such as paper or cardboard.
(6) □ Sandwich board signs shall constitute prohibited signs; however, such signs shall be permitted in the DMU-1, DMU-2, RMU, OMU, CC, WF and M Districts upon the issuance of an administrative permit for same by the Chief Building Inspector. The standards applicable for such permits shall be on file in the Building Department.
Sign sq. ft. Location Date Installed
Permit # Date Permit issued Date Permit expires
(7) Exterior signs that emit noise, sounds or smoke.
□ Compliant □Not compliant
H. □ Nonconforming sign:
(1) A nonconforming permanent sign, except for a freestanding sign in place at the time of enactment of this chapter, must be removed within 24 months of the enactment of this chapter.
□ Compliant □Not compliant
(2) All nonconforming temporary signs shall be removed by the effective date of this chapter.
(3) □The maintenance of such nonconforming signs may be permitted, but any sign once removed for purposes other than maintenance shall be deemed permanently removed and may be replaced only in accordance with the provisions of this section.
□ Compliant □Not compliant
I. ☐ Multiple occupancy overall sign plan:
When there are two or more occupants of a premises, such as a shopping center or strip mall, an overall plan for signage shall be required prior to installation or replacement of any individual sign. The overall plan shall satisfy all requirements and guidelines of this section. Individual signs shall be the same with regard to materials and color, but letter size and style may vary.
□ Compliant □Not compliant

J. Noncommercial copy:
Any sign authorized in this chapter is allowed to contain noncommercial copy in lieu of any other copy.
Shall provide the following documents:
Color rendering or photographs of the building front façade before and after the signs and of adjacent properties.
Detail specifications of the sign mounting hardware and material.
Sign square footage, dimensions, height above grade and lighting.
Affidavit that the proposed sign and applicant are authorized by the property owner.
Insurance certificate under the permit owner's comprehensive general liability coverage for \$1,000,000. Such certificate shall provide that the insurance cannot be canceled without 30 days' prior notice to the Village of Nyack Chief Building Inspector.
☐ Illuminating devices details and specifications.
Building façade square feet.
Square feet of all other existing signs.
Applicant Print Name Signature Date 4116 25

COMPLETED BY BLDG DEPT.
Date of ARB meeting: 9/17/2025
Date application is due to the Bldg. Dept: No later than 8/28/2025
Date application received by the Bldg. Dept: 8/28/2005
Date application is determined to be complete: 8 28 2025
Date of Public Notice
Date of Public Hearing MA
PUBLIC COMMENTS: Opened
Date Vote Vote
REFERED: 1/28/2005 INA Approved as Presented
Date to Vote
FOR THE FOLLOWING REASONS:
CONDITONS:
Permit #
Date Permit Issued: Date Permit Expires:
§140-15. Application Submittal Fees:
ARB Fee: \$250 Receipt # & Date: # 01956 4 16 25 Permit Fee: \$100 x = DC of C Fee: \$100 Receipt # & Date:
Permit Fee: \$100 x = DC of C Fee: \$100 Receipt # & Date:

MANNY A. CARMONA Chief Building Inspector

BEREA SEVENTH-DAY ADVENTIST CHURCH 67 S Broadway Nyack Ny 10960

To whom it may concern,

I, Keith Seard, representing the Board of Berea Seventh-Day Adventist Church, give permission for 99signs to install signs outside the building for at 67 S Broadway.

Sincerely,

Keith B. Seard, MBA

(845) 893-6412

Keith.Seard@KBSllcny.com