David Smith

Asst Building Inspectors Paul Rozsypal Scott Fine Fire Inspector

Village Of Nyack Incorporated February 27, 1883



BUILDING DEPARTMENT 9 North Broadway Nyack, New York 1096-2697 (845) 358 - 4249 / FAX: (845) 358 - 0672

www.nyack-ny.gov

buildingdepartment@nyack-ny.gov

MANNY A. CARMONA Chief Building Inspector

FORM REVISED: 11/01/2023

SIGN PERMIT APPLICATION

| Sign Type: Awning Directional Flag Projecting Temporary | □ Freestanding □ Wall ☑ Window | Gas Station |
|--|--|--|
| | Reconstruction Re | |
| Project Street Address: 190 Main St. Nyack N | | |
| Business Suite # Floor Level: Tax Map Desig | nation: Section 66,29 Bl | ock 2 Lot 72 |
| Property Classification: Mixed-USE | | |
| Proposed Use of Space: Retail | | |
| Number of Businesses in the Building: | lumber of Signs on the Buil | ding: |
| Project Location: On the North side of Main and N. | approximately, 30 | feet <i>WES</i> e Village of Nyack. |
| Acreage of Parcel20 | Zoning District: | IU-I |
| Project Description: (please attach a narrativesummary). CONTACT INFORM | ATION Sig | <u>. N</u> |
| NAME/ADDRESS | PHONE #/E-MAIL | LICENSE # |
| 0.000 | 9179953618 | |
| Applicant Cris Longoria | 11199500 | |
| 1512 Park AV N Bergen W | 07047 | Locus Onhogo osty |
| | 07047 | CVIS @ Veganosty |
| Property Owner Rich Piccini Property Owner Rich Piccini | 07047 | CVIS O Vegenpusty |
| Property Owner Rich Piccini Tenant Cris Longoria of | 07047 84574 6770 Cris@Vegan pastryla | CVIS @ Veganpisty |
| Property Owner Rich Piccini Tenant Cris Longoria of Cris Elliott LLC | 07047 | CVIS O Veganpun |
| Property Owner Rich Piccini Tenant Cris Longoria of | 07047 84574 6770 Cris@Vegan pastryla | CVIS O Veganpusty |
| Property Owner Rich Piccini Tenant Cris Longoria of Cris Elliott LLC | 07047 84574 6770 Cris@Vegan pastryla | CVIS O Veganpung |
| Property Owner Rich Piccini Tenant Cris Longoria of Cris Elliott LLC Sign Company Self | 07047 84574 6770 Cris@Vegan pastryla | CVIS @ Veganposty |

APPLICATION REFERRAL, REVIEW AND STAFF REPORT

| § 360-5.4B(6) Outstanding municipal violations. Applications for review and approval of any project shall not be deemed complete while there are outstanding municipal violations the application is complete and ready for review. |
|---|
| Complete |
| (1) If the application is determined to be complete, the applicant will be notified of the additional number of copies required to be submitted for the application to then be processed according to the procedures set forth in this code. An application will be considered complete if it is submitted in the required form, includes all required information and supporting materials, and is accompanied by the applicable fee. The determination of completeness shall not be based upon the perceived merits of the sign proposal. |
| (2) If an application is determined to be incomplete, the Chief Building Inspector shall provide notice to the applicant along with an explanation of the application's deficiencies. No further processing of an incomplete application shall occur until the deficiencies are corrected in a future resubmittal. The inclusion of false information in an application is grounds for determination that the application is incomplete. |
| § 360-5.1 ARB Decision-making body pursuant to Table 5-1 Sign Permit: Summary of Decision-making Authority in accordance with § 360-5.13. |
| § 360-5.13C(3) The ARB shall approve, approve with modifications or disapprove the application within 60 days of receipt of the complete application, except where a sign application is part of a site plan or special permit application, in which case the sign shall be reviewed as part of that application. As part of a site plan or special permit application, the decision-making body shall refer the application to the ARB for a recommendation on the application. |
| Referral Board: Date: |
| ARB Recommendation: □Approved □Disapproved □Condition(s) Date: |
| § 360-5.13C(6) The Building Inspector shall issue a sign permit within five calendar days of receipt of the ARB's decision, subject to delivery to the Building Inspector of an insurance certificate, in a form and amount acceptable to the Building Inspector, naming the Village as an additional insured under the permit owner's comprehensive general liability coverage. Such certificate shall provide that the insurance cannot be canceled without 30 days' prior notice to the Village of Nyack Chief Building Inspector. The permit shall be conditioned upon the permit owner keeping such insurance in effect. |
| ☐ Permit Issued: ☐Insurance Provided: |

§ 360-5.13D Criteria. In reviewing a sign permit application, the ARB shall take into consideration the purpose and intent of this section and all relevant standards of this chapter, including the sign standards of § 360-4.11, as well as strength of illumination of the sign and whether its design, materials and placement are appropriate for the building on which it will be located and compatible with nearby buildings and structures. For properties designated as a landmark or located within a designated historic district, the application must also meet the standards applicable to a certificate of appropriateness.

§ 360-4.11B(1) No exterior or interior sign, advertising display or structure, poster or device shall be erected, moved to another portion of the building, enlarged or reconstructed or relettered or redesigned without the owner first having obtained and paid for and having in force a permit therefore from the Architectural Review Board (ARB).

§ 360-4.11C Restrictions.

No signs other than signs placed by agencies of the government shall be erected on any public property or public right-of-way unless consent is first obtained from the Village Board

| of Trustees (VBT). | niess consent is lifst obtained from the village board |
|--|---|
| Date of VBT Approval NA | |
| No sign shall be placed on any private | property without the consent of the owner thereof. |
| No sign shall be placed or painted on | |
| No sign shall be placed on any utility p | ole except for utility identification or similar purposes. |
| Compliant | □ Not compliant |
| Signs shall be placed so as not to oblite trim. | erate, conceal or destroy architectural and decorative |
| Compliant | ☐ Not compliant |
| All signs shall be of good quality mater | rials. |
| Compliant | ☐ Not compliant |
| The size and content of the sign shall provision of information to patrons see | I be the minimum essential for legibility and for the king the particular use described on such sign. |
| ☑ Compliant | ☐ Not compliant |
| Signs must be placed so that they are the lot on which they are placed. | integrated with design elements of the building(s) on |
| Compliant | □ Not compliant |

| § 360-4.11D Permitted signs in resi | dential districts. |
|--|---|
| ☐ In the SFR, TFR and MFR Distric | t, provided that they are accessory to a principal use |
| on the premises: | |
| (1) One nonilluminated nameplate or feet. | professional sign with an area of not over two square |
| ☐ Compliant | □ Not compliant |
| (2) One temporary nonilluminated sig which such sign is situated, with an appermitted to obscure view lines from the sign of t | n advertising the sale or rental of the premises on rea of not over four-square feet. The signs are not roads or project on to sidewalks. |
| ☐ Compliant | ☐ Not compliant |
| (3) One indirectly illuminated bulletin educational or religious institutions, w | board or other announcement sign for civic, ith an area of not over 12 square feet. |
| Compliant | ☐ Not compliant |
| § 360-4.11E Permitted signs in non | |
| property, in square feet, shall not be storefront of the front facade of the co | J and WF Districts, the sign area for all signs on the greater than two times 2/3 the width, in feet, of the mmercial establishment to which the sign refers. |
| Existing Sign(s)sq. f | t. Proposed Sign(s) $2 \cdot 68$ sq. ft. |
| Total Signssq. f | t. Permitted Sign(s) <u>17.33</u> sq. ft. |
| $\frac{13}{\text{Façade width}}$ + 3 x 2 = $\frac{8.66}{6}$ x 2 = $\frac{17.33}{6}$ | sign(s) sq. ft. Compliant Dot compliant |
| area of the building's front facade up | maximum sign area shall be 10% of the total surface on which it is faced or 80 square feet, whichever is ll businesses or tenants in a building shall not exceed wed if there were a single tenant. |
| Existing Sign(s)sq. fi | Proposed Sign(s)sq. ft. |
| | q. ft. Front Façadesq. ft. |
| □ Compliant □ | Not compliant |
| The following signs are permitted in to Districts, provided that they are access | the DMU-1, DMU-2, RMU, OMU, CC, WF, M and H sory to a principal use on the premises: |

| ☐ (1) Wall Sign – flat and projecting: ☐ (a) one flat wall sign may be erected parallel to the face of the building. In addition, | | | |
|---|--|--|--|
| □ (b) one projecting wall sign may be erected perpendicular to the building or street. The following limitations shall apply: | | | |
| [1] The sign may protrude up to 42 inches from the plane of the building but not closer than two feet to the curbline. | | | |
| Protruding inches From curbline ft. | | | |
| [2] The bracket(s) supporting the sign shall be no more than four feet in length on a side. | | | |
| Bracket(s) ft. Compliant Not compliant | | | |
| [3] CC, M and H Districts, the bottom of the sign or the protruding portion of the bottom bracket shall be at least 10 feet above the sidewalk. | | | |
| □ DMU-1 □ DMU-2 □ RMU □ OMU □ WF Districts, at least eight feet above the sidewalk or ground | | | |
| Height above sidewalk ft. | | | |
| [4] The size of the sign shall not exceed 15 square feet per face. Only two faces are permitted. | | | |
| Signsq. ft./face | | | |
| (c) □ DMU-1 □ DMU-2 □ RMU □ OMU □ WF Districts, signage shall be designed so that it is visible and informative at the pedestrian scale. The following design standards shall apply: | | | |
| [1] Street-oriented signs shall be limited to fascia bands above the store window, on the vertical fascia of an awning or on the window of the store. | | | |
| ☐ Compliant ☐ Not compliant | | | |
| [2] Signage design shall be carefully integrated with other design elements. | | | |
| □ Compliant □ Not compliant | | | |
| [3] All signs shall be stationary and contain no visible or moving parts. | | | |
| ☐ Compliant ☐ Not compliant | | | |
| [4] If a sign is illuminated, the source of illumination must be shielded from streets, walkways and adjoining properties. External illumination such as gooseneck lamps, simple horizontal | | | |

| strip lighting or o so as to not nega | conceale atively im | ed spotlight pact of the | ts shall be utilize composition of the | d. The lighting fine facade or dam | ixtures shall be placed age building materials. |
|--|--|---|---|--|--|
| Illuminated 🗆 | Yes | □NO | ☐ Compliant | ☐ Not com | oliant |
| [5] Flat wall sign rest of the wall. rest of the wall o | Any illun | ninating de | vices shall proje | or more than the ct no more than | ree inches beyond the 42 inches beyond the |
| Sign inch | (es) l | lluminatio | n inches | ☐ Compliant | □ Not compliant |
| [6] Prohibited ite mounted above to | ems shal the eave | Il include p line of any | roduct advertiser y structure and in | nent outside of a ternally illuminat | any retail space, signs ted signage. |
| ☐ Compli | iant | | □ Not com | oliant | |
| [7] Sign copy shall be limited to the name of the business, product sold or service provided by and logo of the principal use of the premises. Telephone numbers or website addresses shall only be allowed on permanent interior signs on ground floor level windows and doors and upper floor windows (limited to a sign for a different business than is located on first story). The maximum height of letters for telephone numbers and website addresses shall be five inches on ground floor store windows and doors and three inches on upper floor windows. | | | | | |
| | | | | | |
| Letters Size | inch | es Floor | r level | ☐ Compliant | □Not compliant |
| Letters Size | inch | es Floor | r level | □ Compliant | □Not compliant |
| □ N/A □ (d) Signage | in the | CC, M and | H Districts sha | II be designed s | Not compliant o that it is visible and wing design standards |
| □ N/A □ (d) Signage informative at bo | in the (| CC, M and | H Districts sha | II be designed s | o that it is visible and |
| □ N/A □ (d) Signage informative at boshall apply: [1] Internal illumi | in the (oth the audination is | CC, M and | H Districts sha | II be designed s | o that it is visible and |
| □ N/A □ (d) Signage informative at boshall apply: [1] Internal illumi | in the other audination is | CC, M and atomobile a allowed. | H Districts sha | II be designed s | o that it is visible and |
| □ N/A □ (d) Signage informative at boshall apply: [1] Internal illumi Illuminated □ □ [2] Flat wall: Excluding extern | in the (in the audination is signs: mal illumiting devi | CC, M and atomobile a sallowed. NO nating devices shall p | H Districts shand the pedestriantices, sign shall project no more | all be designed son scale. The follow | o that it is visible and |
| □ N/A □ (d) Signage informative at boshall apply: [1] Internal illumi Illuminated □ □ [2] Flat wall: Excluding external illuminated | in the (on the audination is signs: mal illumination deviation above | CC, M and atomobile a sallowed. NO nating devices shall pre the build | H Districts shand the pedestriantices, sign shall project no more | all be designed son scale. The following the scale inches | to that it is visible and wing design standards than 12 inches. Any beyond the rest of the |

| [3] Projecting wall signs shall be at least 10 feet above the sidewalk or pavement immediately beneath the sign. |
|---|
| Height above sidewalk ft. Compliant Not compliant |
| (e) Such sign or signs shall be placed so as not to obliterate, conceal or destroy architectural and decorative trim and cornices immediately above first-floor storefronts or on above stories, including at parapets and rooflines, or signs of adjacent buildings or views. |
| ☐ Compliant ☐ Not compliant |
| (f) The mountings and installation hardware must be installed in such a way that it does not damage the materials of the building and all practical measure must be taken to conceal the hardware. |
| □ Compliant □ Not compliant |
| (g) Signs that do not comply shall be removed no later than 24 months after this chapter is enacted. |
| ☐ E(2) Freestanding signs: |
| (a) In the DMU-1, DMU-2, RMU, OMU, WF and H Districts, where the building is set back from the front lot line a distance of 25 feet or more, not more than one freestanding sign consisting of either a pole sign or a monument sign, with an area of not more than 20 square feet per face, may be erected not nearer than six feet to any building. |
| Front lot line setbackft. □ Pole □ Monument Signsq. ft./face |
| Sign distance from Bldg. ☐ ft. ☐ Compliant ☐ Not compliant |
| No such freestanding signs shall encroach on any required yard, except in a motor vehicle service station, and not more than one standard sign may be erected in a required yard for purposes of identification. |
| ☐ Compliant ☐ Not compliant |
| The maximum height of a pole sign shall be 15 feet and the maximum height of a monument sign shall be four feet, measured to the topmost portion of the sign above grade. Any building availing itself of a freestanding sign may not erect a perpendicular sign as provided in § 360-4.11E(1)(b). |
| Sign height: □ Poleft. □ Monument ft. □ Compliant □ Not compliant |

| (b) In the CC District, a maximum of one freestanding sign per property consisting of either a pole sign or a monument sign shall be permitted. The maximum sign area shall be 60 square feet per face. A pole sign shall be set back a minimum of 15 feet from a property line except that it shall be back a minimum of 50 feet from any residential use or zone boundary. A monument sign shall be set back a minimum of five feet from any property line |
|--|
| □ Pole □ Monument Signsq. ft./face Property lot line setbackft |
| Setback from residential use or zone boundary ft. |
| □ Compliant □ Not compliant |
| The maximum height of a pole sign shall be 25 feet and the maximum height of a monumen sign shall be six feet, measured to the topmost portion of the sign above grade. Any building availing itself of a freestanding sign may not erect a perpendicular sign as provided in § 360 4.11E(1)(b). |
| Sign height: □ Poleft. □ Monument ft. □ Compliant □ Not compliant |
| (c) In the M and H Districts, a maximum of one monument sign shall be permitted. The maximum sign area shall be 60 square feet per face. The sign shall be set back a minimum of five feet from any property line. |
| Signsq. ft./face Lot line setbackft. □Compliant □Not compliant |
| The maximum sign height shall be six feet, measured to the topmost portion of the sign above grade. Any building availing itself of a freestanding sign may not erect a perpendicular sign as provided in § 360-4.11E(1)(b). |
| Sign height:ft. |
| (d) Sign copy shall be limited to the name of the business, product sold or service provided by and logo of the principal use of the premises. |
| □ Compliant □ Not compliant |
| (3) ☐ Directional signs: |
| Directional signs necessary for proper traffic flow and safety. All directional signs shall be subject to approval by the Architectural Review Board, which shall have discretion over the placement and number of signs permitted on the premises, bearing in mind the Village's stated policy favoring reduction in the number of distracting signs. The area of each such sign shall not exceed two square feet. |
| Number of signs Signsq. ft./each 🛘 Compliant 🗀 Not compliant |

| Signs that do not comply shall be removed no later than 24 months after this chapter is enacted. |
|---|
| (4) Marquees: |
| A marquee for a theater or public building shall be permitted. |
| (5) Gas station signs: |
| Gas stations shall be allowed two signs on a freestanding pole with gas pricing information only allowed on the second sign. The area of signage of the price sign may be 22 square feet per face to accommodate the pricing information. |
| Number of signssq. ft./face □Compliant □Not compliant |
| All other requirements of Subsection E(2) shall apply: (provide district requirements) |
| Signs that do not comply shall be removed no later than 24 months after this chapter is enacted. |
| (6) ☐ Flag signs: |
| (a) Flag sign is an advertising sign printed on a fabric flag of non-shiny material and flown from a pole that has a maximum length of six feet and is attached to a building at a minimum height of six feet if the flag is attached to a pole mounted to a building at an angle |
| from horizontal of 45° or greater |
| Pole: Lengthft. Height on Bldgft. Angle° |
| or 10 feet if the flag is attached to a pole mounted to a building at an angle from horizontal of less than 45°, where the flag has the maximum size of 15 square feet, and is no higher on the building than 12 feet, and is not closer than three feet to the curbline. |
| Pole: Lengthft. Height on Bldgft. Angle° |
| Flag sizesq. ft. From curblineft. □ Compliant □Not compliant |
| The flag sign shall not have product advertising, but can have the name and/or logo of the business or advertise that the business is "Open," "Closed," or "Sale." Only two faces are permitted. |
| Type of advertisement □ Compliant □Not compliant |
| One flag sign is permitted for each public entrance of a building, with a maximum of one flag sign per business, and shall only be displayed when the business is open. This does not apply to any official national, state or international flag. |

| | ☐ Compliant | Not compliant | |
|---|---|---|--|
| | advertising is displayed, its des | addition to other signs, p. vided that right is integrated with other design elements or hide significant architectural fea | ents of the building |
| | ☐ Compliant ☐ | Not compliant | |
| | (c) Signs that do not comply chapter is enacted. | shall be removed no later than 24 | months after this |
| | (7) Awning signs: | | |
| | made a part of an awning. Su | from or attached to an awning. Signs match signs painted on an awning shall be painted signs on awning valances solely itseding six inches in height. | e computed in the |
| | Sign Area sq. ft. Valance | e letter size inches □Compliant | □Not compliant |
| | (8) Permanent interior sign | ns on <u>ground floor level</u> : | |
| | 24 inches from the inside winder LED, light borders, electronic border tubing, permanent sculpt | | including all neon, os, product signs, |
| | Location _Ø_ inches Type | e of sign_words Compliant | □Not compliant |
| | (a) In no instance may a permanaggregate storefront window are | nent and temporary interior sign cover mo ea or 36 square feet. | re than 15% of the |
| | Coverage <u>100</u> % <u>37.8</u> s | sq. ft. □ Compliant <mark>☑Not com</mark> p | pliant |
| | Interior permanent signs that be removed no later than 24 n | fail to comply with all provisions of a nonths after this chapter is enacted. | this section shall |
| - | (9) Permanent interior sign | s on <u>upper floor</u> windows: | |
| | 24 inches from the inside windo | any sign of any material painted on or pla ow glass or door glass of any building, d similar signs including words, logos, pro frames. | including all neon, |
| | Location inches Type | e of sign | □Not compliant |

| Such interior signs on upper floor windows may not cover more than 20% of the window area. The height of letters for telephone numbers and web addresses is limited to three inches. |
|---|
| Coverage % Letters Size inches Compliant Not compliant |
| Signs that do not comply shall be removed no later than 24 months after this chapter is enacted. |
| (10) ☐ Temporary signs: |
| Temporary signs, which are paper, cardboard and other similarly impermanent material signs. |
| Temporary interior signs are located within 24 inches of the storefront's glass windows and doors and include open, closed, and sale signs, menus, lists of products and services, are allowed and do not need permits when together they do not exceed four square feet. |
| Sign sq. ft. Location inches ☐ Compliant ☐Not compliant |
| Temporary and permanent signs together cannot cover more than 15% of the ground floor window area or 36 square feet; or 20% of upper floor window area. |
| Coverage sq. ft. Floor level |
| (a) Temporary signs are allowed for up to 30 days without a sign permit. This includes signs for which an application for a permanent sign has been submitted. |
| Date installed: Removal Date |
| (b) A maximum of two temporary interior signs which do not need permits are allowed along with the exceptions below: |
| Number of sings ☐ Compliant ☐ Not compliant |
| (c)Temporary signs shall not overlap, cover or obscure permanent signs. |
| ☐ Compliant ☐Not compliant |
| (d) Contractor signs: |
| One contractor sign per frontage, with a maximum size of four-square feet per side, with a maximum of two sides, shall be permitted, provided that such signs are located at ground floor level and shall be erected no more than five days prior to the beginning of construction for which a valid permit has been issued and shall be removed within five days after |

completion of the project or expiration of the permit, whichever comes first. The sign must

| include the proper name of contractor and of the Building | the contractor and Inspector for comple | must list the telephone number of the ints. | | |
|---|--|--|--|--|
| | | Date Installed | | |
| Permit #Date Pe | rmit issued | Date Permit expires | | |
| permitted for a period not to approval. | exceed three month | occupancy of a site or building may be s without the Chief Building Inspector's | | |
| Date installed: | Remova | ni Date: | | |
| than 40% of the window area | if an interior sign. | ffixed to a building or wall and not more | | |
| Sign sq. ft. | Location | Coverage% | | |
| (f) ☐ Special event, holiday | signs and annound | ement signs: | | |
| May be permitted in DMU-1, DMU-2, RMU, OMU, CC, WF and H Districts without the Chief Building Inspector's approval. These signs may be placed in the window only and may not cover more than 15% of the window area together with other signs. These signs may be put in place four weeks prior to the event and shall be removed within one week of the event. | | | | |
| Coverage% Date | | | | |
| (g) □ Real estate sale or re | | | | |
| sa i di di a lama na | | | | |
| square feet and no more than shall be subject to permit rene | one sign per tenancy | per frontage at ground level. Such signs ervals. | | |
| square feet and no more than shall be subject to permit rene | one sign per tenancy ewal at six-month inte | per frontage at ground level. Such signs | | |
| square feet and no more than shall be subject to permit rend Signsq. ft. Location | one sign per tenancy ewal at six-month inte Date insta ertaining to campa | per frontage at ground level. Such signs rvals. | | |
| square feet and no more than shall be subject to permit rend Signsq. ft. Location_ (h) Temporary signs permitted in DMU-1, DMB Building Inspector's approval | one sign per tenancy ewal at six-month inter Date instant Italining to campa Italin | per frontage at ground level. Such signs ervals. Renewal Date | | |
| square feet and no more than shall be subject to permit rend Signsq. ft. Location_ (h) Temporary signs permitted or educations are permitted in DMU-1, DMB Building Inspector's approval in the window only and may | one sign per tenancy ewal at six-month into Date instanting to campa Linstitutions: NU-2, RMU, OMU, Conot exceed six squaresigns. | per frontage at ground level. Such signs ervals. Renewal Date aigns, drives or events of civic, C and WF Districts without the Chief eed 15 days. These signs may be placed | | |

| (i) Temporary signs that fall to comply with all provisions of this section shall be removed by the effective date of this chapter. | | | | | | | |
|--|--|--|--|--|--|--|--|
| F. Unsafe signs. | | | | | | | |
| (1) \square The owner of a sign and the owner of the premises on which such sign is located shall be jointly liable to maintain such sign, including its illumination sources, in a neat and orderly condition and good working order at all times and to prevent the corrosion, rotting or other deterioration in the physical appearance or safety of such sign. | | | | | | | |
| Compliant Not compliant | | | | | | | |
| (2) If the Chief Building Inspector or his designee shall find that any sign regulated herein is unsafe, insecure, damaged, deteriorated or a menace to the public or has been erected in violation of the provisions of this section, he shall give written notice to the sign owner of the owner of the premises on which such sign is located. Said sign and all appurtenances shall be taken down and removed by the owner, agent or person having the beneficial use of the building or structure upon which such sign may be found within 30 days after written notification from the Building Inspector. | | | | | | | |
| ☐ Compliant ☐ Not compliant | | | | | | | |
| (3) If, in the determination of the Chief Building Inspector, a sign is an immediate peril to persons or property, he may cause such sign to be removed summarily and without notice and the expense of said removal, when certified by said Chief Building Inspector to the Village Board, shall be paid by the Village and such amount shall thereupon be and become a lien upon the premises in question and shall be levied and collected in the same manner and under the same penalties as an assessment for a public improvement. | | | | | | | |
| Compliant Not compliant | | | | | | | |
| G. □ Prohibited signs: | | | | | | | |
| The following types of signs or artificial lighting are prohibited: | | | | | | | |
| (1) 🗆 Billboards. | | | | | | | |
| (2) \square Flashing or animated neon, LED, electronic reader board or electronic graphics or other artificial light sign or device. Flashing signs, including any sign or device on which the artificial light is not maintained stationary and constant in intensity and color at all times when in use. | | | | | | | |

| (3) □ Internally illuminated (including neon) signs located on the exterior of buildings, exception the CC and M zoning districts. | | | | | | |
|---|--|--|--|--|--|--|
| (4) □ Signs that compete for attention with or may be mistaken for a traffic signal. | | | | | | |
| (5) □ Outdoor signs made of impermanent materials, such as paper or cardboard. | | | | | | |
| (6) □ Sandwich board signs shall constitute prohibited signs; however, such signs shall be permitted in the DMU-1, DMU-2, RMU, OMU, CC, WF and M Districts upon the issuance of an administrative permit for same by the Chief Building Inspector. The standard applicable for such permits shall be on file in the Building Department. | | | | | | |
| Sign sq. ft. Location Date Installed | | | | | | |
| Permit # Date Permit issued Date Permit expires | | | | | | |
| (7) Exterior signs that emit noise, sounds or smoke. | | | | | | |
| □ Compliant □Not compliant | | | | | | |
| H. Nonconforming sign: | | | | | | |
| (1) A nonconforming permanent sign, except for a freestanding sign in place at the time of enactment of this chapter, must be removed within 24 months of the enactment of this chapter. | | | | | | |
| □ Compliant □Not compliant | | | | | | |
| (2) All nonconforming temporary signs shall be removed by the effective date of this chapter. | | | | | | |
| (3) The maintenance of such nonconforming signs may be permitted, but any sign once removed for purposes other than maintenance shall be deemed permanently removed and may be replaced only in accordance with the provisions of this section. | | | | | | |
| □ Compliant □Not compliant | | | | | | |
| I. ☐ Multiple occupancy overall sign plan: | | | | | | |
| When there are two or more occupants of a premises, such as a shopping center or strip mall, an overall plan for signage shall be required prior to installation or replacement of any individual sign. The overall plan shall satisfy all requirements and guidelines of this section individual signs shall be the same with regard to materials and color, but letter size and style may vary. | | | | | | |
| □ Compliant □Not compliant | | | | | | |

| | J. Noncommercial copy: | | | | | | | |
|----|---|--|--|--|--|--|--|--|
| | Any sign authorized in this chapter is allowed to contain noncommercial copy in lieu of any other copy. | | | | | | | |
| | Shall provide the following documents: | | | | | | | |
| | Color rendering or photographs of the building front façade before and after the signs and of adjacent properties. | | | | | | | |
| N | ▶□ Detail specifications of the sign mounting hardware and material. | | | | | | | |
| | ☐ Sign square footage, dimensions, height above grade and lighting. | | | | | | | |
| | Affidavit that the proposed sign and applicant are authorized by the property owner. | | | | | | | |
| | ☐ Insurance certificate under the permit owner's comprehensive general liability coverage for \$1,000,000. Such certificate shall provide that the insurance cannot be canceled without 30 days' prior notice to the Village of Nyack Chief Building Inspector. | | | | | | | |
| NA | ☐ Illuminating devices details and specifications. | | | | | | | |
| | ☑ Building façade square feet. | | | | | | | |
| NP | N ☐ Square feet of all other existing signs. | | | | | | | |
| · | Oris Longoria Chiphy Date 8/17/25 Applicant Print Name Signature | | | | | | | |

| COMPLETED BY BLDG DEPT. | | | | | | | | |
|---|--|--|--|--|--|--|--|--|
| Date of ARB meeting: 9/17/2025 | | | | | | | | |
| Date application is due to the Bldg. Dept: No later than 8/28/2025 | | | | | | | | |
| Date application received by the Bldg. Dept: | | | | | | | | |
| Date application is determined to be complete: | | | | | | | | |
| Date of Public Notice | | | | | | | | |
| Date of Public Hearing | | | | | | | | |
| PUBLIC COMMENTS: Opened | | | | | | | | |
| Date Vote Vote | | | | | | | | |
| REFERED: ZBA N/A | | | | | | | | |
| Date Vote Vote | | | | | | | | |
| FOR THE FOLLOWING REASONS: | | | | | | | | |
| CONDITONS: | | | | | | | | |
| Permit # | | | | | | | | |
| Date Permit Issued: Date Permit Expires: | | | | | | | | |
| §140-15. Application Submittal Fees: | | | | | | | | |
| ARB Fee: \$250 Receipt # & Date: 02212 9/2/25 | | | | | | | | |
| □ Permit Fee: \$100 x = \ □ C of C Fee: \$100 Receipt # & Date: $02195 8121/25$ | | | | | | | | |

MANNY A. CARMONA Chief Building Inspector I, Rich Piccini, owner and landlord of 190 Main St, Nyack, NY 10960, give my tenant, Cris Longoria of Cris Elliott LLC permission to install a vinyl decal on the main window of the building with his company logo on it.

Rich Piccini

August 13, 2025

| | | • . |
|--|--|-----|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |