Asst Building Inspectors
Paul Rozsypal
Scott Fine
Fire Inspector
David Smith

Village Of Nyack

Incorporated February 27, 1883

BUILDING DEPARTMENT
9 North Broadway
Nyack, New York 1096-2697

MANNY A. CARMONA Chief Building Inspector

FORM REVISED: 11/01/2023

(845) 358 - 4249 / FAX: (845) 358 - 0672

www.n=ack-n=_gov buildingdepartment@nyack-ny-goy

SIGN PERMIT APPLICATION

Sign Type: 1	□ Awning □ Directional □ Flag ☑ Projecting □Temporary ☑	Wall - Window	Gas Station
□ Erecti		Reconstruction R	edesign
Project Street Add	20 S Broadway, Nyack, NY 10960	Application Date: 5/1	
Business Sulte #	Floor Level: 1 Tax Map Desig	gnation: Section 66.38 B	lock 1 Lot 54
Property Classifical	Restaurant & Bar		Service Services
Proposed Use of Sp			The same of the sa
Number of Busines		Number of Signs on the Bui	
Project Location: (on the East side of S Broadway	approximately, <u>v</u>	feet South
	on of Church St and SB		
Acreage of Parcel_	0.21	Zoning District: DMU-1	
Project Description	n: (please attach a narrativesummary). Installati	IATION	urait.
Per Field	NAME/ADDRESS	PHONE #/ E-MAIL	LICENSE #
Applicant	FASTSIGNS	845-298-5600	
The second second	oad, Suite 2B, Wappingers Falls, NY 12590	455@fastsigns.com	LAMBS.
Property Owner	Dawn Ziccardi	516-779-3985	1
	adow Road, Chester, NY 10918		ACT To the second secon
Tenant	Tamarind Restaurant / Ashish Phad	845-945-0538	
20 S Broadwa	ay, Nyack, NY 10960	e i grandija izvezija izvezija	- Opposition of the State of th
	FASTSIGNS	845-298-5600	
	oad, Suite 2B, Wappingers Falls, NY 12590	455@fastsigns.com	eralifa
Sign installer FASTSIGNS		845-298-5600	
1839 South Re	oad, Suite 2B, Wappingers Falls, NY 12590	455@fastsigns.com	Magner Separa
Architect	According to the second		
And the second	-		
Electrician			
M.A	/ Part	(gr) in the short should be a short of the s	unigophirental publication and property and the second publication and the

APPLICATION REFERRAL, REVIEW AND STAFF REPORT

§ 360-5.4B(6) Outstanding municipal vi any project shall not be deemed complete the application is complete and ready for	riolations. Applications for review and approval of the while there are outstanding municipal violations review.		
☑ Complete			
the additional number of copies required processed according to the procedures considered complete if it is submitted in the	d to be submitted for the applicant will be notified of d to be submitted for the application to then be set forth in this code. An application will be he required form, includes all required information anied by the applicable fee. The determination of the perceived merits of the sign proposal.		
shall provide notice to the applicant a	ed to be incomplete, the Chief Building Inspector along with an explanation of the application's an incomplete application shall occur until the submittal. The inclusion of false information in an hat the application is incomplete.		
§ 360-5.1 ARB Decision-making body p Decision-making Authority in accordance	oursuant to Table 5-1 Sign Permit: Summary of with § 360-5.13.		
application within 60 days of receipt of application is part of a site plan or special reviewed as part of that application. As part of the application of the applic	e, approve with modifications or disapprove the the complete application, except where a sign permit application, in which case the sign shall be eart of a site plan or special permit application, the plication to the ARB for a recommendation on the		
Referral Board:	Date:		
ARB Recommendation: Approved	□Disapproved □Condition(s) Date:		
§ 360-5.13C(6) The Building Inspector shall issue a sign permit within five calendar days of receipt of the ARB's decision, subject to delivery to the Building Inspector of an insurance certificate, in a form and amount acceptable to the Building Inspector, naming the Village as an additional insured under the permit owner's comprehensive general liability coverage. Such certificate shall provide that the insurance cannot be canceled without 30 days' prior notice to the Village of Nyack Chief Building Inspector. The permit shall be conditioned upon the permit owner keeping such insurance in effect.			
☐ Permit Issued:	☐Insurance Provided:		

§ 360-5.13D Criteria. In reviewing a sign permit application, the ARB shall take into consideration the purpose and intent of this section and all relevant standards of this chapter, including the sign standards of § 360-4.11, as well as strength of illumination of the sign and whether its design, materials and placement are appropriate for the building on which it will be located and compatible with nearby buildings and structures. For properties designated as a landmark or located within a designated historic district, the application must also meet the standards applicable to a certificate of appropriateness.

§ 360-4.11B(1) No exterior or interior sign, advertising display or structure, poster or device shall be erected, moved to another portion of the building, enlarged or reconstructed or relettered or redesigned without the owner first having obtained and paid for and having in force a permit therefore from the Architectural Review Board (ARB).

§ 360-4.11C Restrictions.

No signs other than signs placed by agencies of the government shall be erected on any

public property or public right-of-way up of Trustees (VBT).	nless consent is first obtained from the Village Board
Date of VBT Approval NA	
No sign shall be placed on any private	property without the consent of the owner thereof.
No sign shall be placed or painted on a	
	ble except for utility identification or similar purposes.
☐ Compliant	☐ Not compliant
trim.	rate, conceal or destroy architectural and decorative
☑ Compliant	☐ Not compliant
All signs shall be of good quality mater	ials.
☐ Compliant	□ Not compliant
The size and content of the sign shall provision of information to patrons seel	be the minimum essential for legibility and for the king the particular use described on such sign.
☑ Compliant	☐ Not compliant
Signs must be placed so that they are it the lot on which they are placed.	ntegrated with design elements of the building(s) on
☑ Compliant	☐ Not compliant

§ 360-4.11D Permitted signs in resid	lential districts.
☐ In the SFR, TFR and MFR District on the premises:	, provided that they are accessory to a principal use
(1) One nonilluminated nameplate or p feet.	rofessional sign with an area of not over two square
☐ Compliant	☐ Not compliant
(2) One temporary nonilluminated sign which such sign is situated, with an are permitted to obscure view lines from ro	advertising the sale or rental of the premises on ea of not over four-square feet. The signs are not eads or project on to sidewalks.
☐ Compliant	□ Not compliant
(3) One indirectly illuminated bulletin b educational or religious institutions, with	oard or other announcement sign for civic, h an area of not over 12 square feet.
☐ Compliant	☐ Not compliant
§ 360-4.11E Permitted signs in nonr	esidential districts.
property, in square feet, shall not be	and WF Districts, the sign area for all signs on the greater than two times 2/3 the width, in feet, of the nmercial establishment to which the sign refers.
Existing Sign(s)sq. ft.	Proposed Sign(s) 25.13 sq. ft.
Total Signs 25.13 sq. ft.	Permitted Sign(s) 66.6 sq. ft.
Façade width	sign(s) sq. ft. Compliant Del Not compliant
area of the building's front facade upo	naximum sign area shall be 10% of the total surface on which it is faced or 80 square feet, whichever is businesses or tenants in a building shall not exceed yed if there were a single tenant.
	Proposed Sign(s)sq. ft.
Total Signs %sc	, ft. Front Façadesq. ft.
☐ Compliant ☐	Not compliant
The following signs are permitted in the Districts, provided that they are access	ne DMU-1, DMU-2, RMU, OMU, CC, WF, M and H ory to a principal use on the premises:

(1) Wall Sign – flat and projecting: (a) one flat wall sign may be erected parallel to the face of the building. In addition,				
(b) one projecting wall si following limitations shall ap		ndicular to the bu	ilding or street. The	
[1] The sign may protrude utwo feet to the curbline.	ip to 42 inches from the pla	ane of the building	g but not closer than	
Protruding 36 inches				
[2] The bracket(s) supporting	ng the sign shall be no mor	re than four feet ir	length on a side.	
Bracket(s) 3 ft.	☐ Compliant	☐ Not complian	nt	
[3] CC, M and H Die bottom bracket shall be at le	east 10 feet above the sid	lewalk.		
DMU-1 □ DMU-2 □ RMU or ground				
Height above sidewalk 14.				
[4] The size of the sign shapermitted.				
Sign_15_ sq. ft./face		□ Not compliant		
(c) PDMU-1 DMU-2 RMU DMU WF Districts, signage shall be designed so that it is visible and informative at the pedestrian scale. The following design standards shall apply:				
[1] Street-oriented signs shall be limited to fascia bands above the store window, on the vertical fascia of an awning or on the window of the store.				
☑ Compliant	☐ Not compliant	Ł		
[2] Signage design shall be	carefully integrated with o	ther design eleme	ents.	
☐ Compliant	☐ Not compliant			
[3] All signs shall be stationary and contain no visible or moving parts.				
☑ Compliant	☐ Not complian	t		
[4] If a sign is illuminated, the source of illumination must be shielded from streets, walkways and adjoining properties. External illumination such as gooseneck lamps, simple horizontal				

strip lighting or concealed spotlights shall be utilized. The lighting lixtures shall be placed so as to not negatively impact of the composition of the facade or damage building materials.					
Illuminated	□Yes	MO	☑ Compliant	☐ Not complia	ant
rest of the wa	[5] Flat wall signs shall not project less than 1/2 inch or more than three inches beyond the rest of the wall. Any illuminating devices shall project no more than 42 inches beyond the rest of the wall or any distance above the building.				
					□Not compliant
[6] Prohibited mounted abo	l items showe the eav	all include /e line of a	product advertisem ny structure and int	nent outside of an ernally illuminated	y retail space, signs I signage.
☑ Con	•		☐ Not comp		
by and logo of shall only be and upper flot story). The m be five inches windows.	of the prince allowed or nor window aximum haximum haximum	cipal use of n permane vs (limited neight of let nd floor sto	the premises. Tele nt interior signs on to a sign for a diffe ters for telephone in ore windows and d	phone numbers o ground floor level erent business tha numbers and web oors and three in	or service provided website addresses windows and doors in is located on first site addresses shall ches on upper floor
Letters Size	<u>⊎/A</u> inc	hes Flo	or level <u>lst</u>	☑ Compliant	□Not compliant
□ N/A					·
☐ (d) Signa informative at shall apply:	ge in the both the	CC, M an	d H Districts shall and the pedestrian	be designed so scale. The following	that it is visible and ng design standards
[1] Internal illi	umination	is allowed.	,		
Illuminated	□Yes	□NO			
☐ [2] Flat w	_				
Excluding external illuminating devices, sign shall not project more than 12 inches. Any external illuminating devices shall project no more than 42 inches beyond the rest of the wall or any distance above the building.					
Projections:	Sign	inches	Illuminatio	oninches	
□ Com	pliant		☐ Not comp	liant	

Page 6 of 16

[3] Projecting wall signs shall be at least 10 feet above the sidewalk or pavement immediately beneath the sign.			
Height above sidewalkft.			
(e) Such sign or signs shall be placed so as not to obliterate, conceal or destroy architectural and decorative trim and comices immediately above first-floor storefronts or on above stories, including at parapets and rooflines, or signs of adjacent buildings or views.			
☐ Compliant ☐ Not compliant			
(f) The mountings and installation hardware must be installed in such a way that it does not damage the materials of the building and all practical measure must be taken to conceal the hardware.			
□ Compliant □ Not compliant			
(g) Signs that do not comply shall be removed no later than 24 months after this chapter is enacted.			
☐ E(2) Freestanding signs:			
(a) In the DMU-1, DMU-2, RMU, OMU, WF and H Districts, where the building is set back from the front lot line a distance of 25 feet or more, not more than one freestanding sign consisting of either a pole sign or a monument sign, with an area of not more than 20 square feet per face, may be erected not nearer than six feet to any building.			
Front lot line setbackft. □ Pole □ Monument Signsq. ft./face			
Sign distance from Bldg. ☐ ft. ☐ Compliant ☐ Not compliant			
No such freestanding signs shall encroach on any required yard, except in a motor vehicle service station, and not more than one standard sign may be erected in a required yard for purposes of identification.			
☐ Compliant ☐ Not compliant			
The maximum height of a pole sign shall be 15 feet and the maximum height of a monument sign shall be four feet, measured to the topmost portion of the sign above grade. Any building availing itself of a freestanding sign may not erect a perpendicular sign as provided in § 360-4.11E(1)(b).			
Sign height: ☐ Poleft. ☐ Monumentft. ☐ Compliant ☐ Not compliant			

(b) ☐ In the CC District, a maximum of one freestanding sign per property consisting of either a pole sign or a monument sign shall be permitted. The maximum sign area shall be 60 square feet per face. A pole sign shall be set back a minimum of 15 feet from a property line except that it shall be back a minimum of 50 feet from any residential use or zone boundary. A monument sign shall be set back a minimum of five feet from any property line.
□ Pole □ Monument Signsq. ft./face Property lot line setbackft.
Setback from residential use or zone boundary ft.
□ Compliant □ Not compliant
The maximum height of a pole sign shall be 25 feet and the maximum height of a monument sign shall be six feet, measured to the topmost portion of the sign above grade. Any building availing itself of a freestanding sign may not erect a perpendicular sign as provided in § 360-4.11E(1)(b).
Sign height: □ Poleft. □ Monumentft. □ Compliant □ Not compliant
(c) In the M and H Districts, a maximum of one monument sign shall be permitted. The maximum sign area shall be 60 square feet per face. The sign shall be set back a minimum of five feet from any property line.
Signsq. ft./face Lot line setbackft.
The maximum sign height shall be six feet, measured to the topmost portion of the sign above grade. Any building availing itself of a freestanding sign may not erect a perpendicular sign as provided in § 360-4.11E(1)(b).
Sign height:ft. Compliant Not compliant
(d) Sign copy shall be limited to the name of the business, product sold or service provided by and logo of the principal use of the premises.
□ Compliant □ Not compliant
(3) Directional signs:
Directional signs necessary for proper traffic flow and safety. All directional signs shall be subject to approval by the Architectural Review Board, which shall have discretion over the placement and number of signs permitted on the premises, bearing in mind the Village's stated policy favoring reduction in the number of distracting signs. The area of each such sign shall not exceed two square feet.
Number of signs Sign sq. ft./each ☐ Compliant ☐ Not compliant

Signs that do not comply shall be removed no later than 24 months after this chapter is enacted.			
(4) Marquees:			
A marquee for a theater or public building shall be permitted.			
(5) 🗆 Gas station signs:			
Gas stations shall be allowed two signs on a freestanding pole with gas pricing information only allowed on the second sign. The area of signage of the price sign may be 22 square feet per face to accommodate the pricing information.			
Number of signs sq. ft./face			
All other requirements of Subsection E(2) shall apply: (provide district requirements)			
Signs that do not comply shall be removed no later than 24 months after this chapter is enacted.			
(6) ☐ Flag signs:			
(a) Flag sign is an advertising sign printed on a fabric flag of non-shiny material and flown from a pole that has a maximum length of six feet and is attached to a building at a minimum height of six feet if the flag is attached to a pole mounted to a building at an angle			
from horizontal of 45° or greater			
Pole: Lengthft. Height on Bldgft. Angle°			
or 10 feet if the flag is attached to a pole mounted to a building at an angle from horizontal of less than 45°, where the flag has the maximum size of 15 square feet, and is no higher on the building than 12 feet, and is not closer than three feet to the curbline.			
Pole: Lengthft. Height on Bldgft. Angle°			
Flag sizesq. ft. From curblineft. Compliant Not compliant			
The flag sign shall not have product advertising, but can have the name and/or logo of the business or advertise that the business is "Open," "Closed," or "Sale." Only two faces are permitted.			
Type of advertisement			
One flag sign is permitted for each public entrance of a building, with a maximum of one flag sign per business, and shall only be displayed when the business is open. This does not apply to any official national, state or international flag.			

☐ Compliant	□ Not compliant
advertising is displayed, its d	in addition to other signs, provided that no specific product lesign is integrated with other design elements of the building damage or hide significant architectural features.
☐ Compliant	□Not compliant
(c) Signs that do not compensate chapter is enacted.	ply shall be removed no later than 24 months after this
(7) Awning signs:	
made a part of an awning.	d from or attached to an awning. Signs may be painted on or Such signs painted on an awning shall be computed in the or painted signs on awning valances solely identifying the store sceeding six inches in height.
Sign Areasq. ft. Vala	nce letter size inches □Compliant □Not compliant
(8) Permanent interior s	igns on ground floor level:
24 inches from the inside wi	ide any sign of any material painted on or placed or hung within indow glass or door glass of any building, including all neon, ic and similar signs, including words, logos, product signs, ulptures or frames.
Locationinches	ype of sign ☐ Compliant ☐Not compliant
(a) In no instance may a permaggregate storefront window	nanent and temporary interior sign cover more than 15% of the area or 36 square feet.
Coverage%	_ sq. ft. ☐ Compliant ☐Not compliant
Interior permanent signs to be removed no later than 2	hat fail to comply with all provisions of this section shall 4 months after this chapter is enacted.
(9) Permanent interior si	igns on <u>upper floor</u> windows:
24 inches from the inside wi	ide any sign of any material painted on or placed or hung within ndow glass or door glass of any building, including all neon, and similar signs including words, logos, product signs, border or frames.
Location Inches T	ype of sign

Such interior signs on upper floor winder. The height of letters for teleph inches.	ndows may no one numbers	it cover more than and web addresse	20% of the window es is limited to three
Coverage% Letters Size_	inches	Compliant	□Not compliant
Signs that do not comply shall be reis enacted.	emoved no la	ter than 24 month	s after this chapter
(10) Temporary signs:			
Temporary signs, which are paper, signs.			
Temporary interior signs are located videors and include open, closed, and allowed and do not need permits whe	sale signs, me	nus, lists of produc	ts and services, are
Signsq. ft. Location	inches	☐ Compliant	□Not compliant
Temporary and permanent signs toge window area or 36 square feet; or 20°	ther cannot co	ver more than 15%	
Coverage sq. ft			
(a) Temporary signs are allowed for up for which an application for a permane	to 30 days with the total to th	thout a sign permit en submitted.	. This includes signs
Date installed:	Ren	noval Date	
(b) A maximum of two temporary interiwith the exceptions below:	or signs which	do not need permi	ts are allowed along
Number of sings		ompliant 🗆 N	lot compliant
(c)Temporary signs shall not overlap,	cover or obscu	ire permanent sign	s.
☐ Compliant ☐Not complia	nt		
(d) ☐ Contractor signs:			
One contractor sign per frontage, with maximum of two sides, shall be permit floor level and shall be erected no more for which a valid permit has been is completion of the project or expiration	itted, provided e than five day ssued and sha	that such signs ar s prior to the begin ill be removed wi	e located at ground ning of construction thin five days after

include the proper contractor and of the	name of the contract Building Inspector for	or and must list the te complaints.	elephone number of the	
Signsq. ft.	Location_	Date	Installed	
		Date Permi	it expires	
(e) A temporary sig permitted for a perio approval.	od not to exceed thre	e months without the O	site or building may be hief Building Inspector's	
Date installed:		Removal Date:	n of the second	
than 40% of the win	dow area if an interior	sign.	ing or wall and not more	
Signsq. ft.	Location	Coverage _	%	
(f) Special event	t, holiday signs and a	announcement signs:		
May be permitted in DMU-1, DMU-2, RMU, OMU, CC, WF and H Districts without the Chief Building Inspector's approval. These signs may be placed in the window only and may not cover more than 15% of the window area together with other signs. These signs may be put in place four weeks prior to the event and shall be removed within one week of the event.				
	Date installed:		oval Date	
	sale or rental signs:			
square feet and no n shall be subject to p	nore than one sign per ermit renewal at six-m	tenancy per frontage at onth intervals.	ceed a maximum of six ground level. Such signs	
Signsq. ft. Lo	ocationDa	ate installed:	Renewal Date	
philanthropic or ec	lucational institution	s :	or events of civic,	
Building Inspector's	approval for a period na and may not exceed s	ot to exceed 15 days. Th	etricts without the Chief lese signs may be placed They should not overlap,	
		Removal Date		
Signsq. ft.		Location		

(i) Temporary signs that fail to comply with all provisions of this section shall be removed by the effective date of this chapter.
F. Unsafe signs.
(1) The owner of a sign and the owner of the premises on which such sign is located shall be jointly liable to maintain such sign, including its illumination sources, in a neat and orderly condition and good working order at all times and to prevent the corrosion, rotting or other deterioration in the physical appearance or safety of such sign.
□ Compliant □Not compliant
(2) If the Chief Building Inspector or his designee shall find that any sign regulated herein is unsafe, insecure, damaged, deteriorated or a menace to the public or has been erected in violation of the provisions of this section, he shall give written notice to the sign owner or the owner of the premises on which such sign is located. Said sign and all appurtenances shall be taken down and removed by the owner, agent or person having the beneficial use of the building or structure upon which such sign may be found within 30 days after written notification from the Building Inspector.
□ Compliant □Not compliant
(3) If, in the determination of the Chief Building Inspector, a sign is an immediate peril to persons or property, he may cause such sign to be removed summarily and without notice and the expense of said removal, when certified by said Chief Building Inspector to the Village Board, shall be paid by the Village and such amount shall thereupon be and become a lien upon the premises in question and shall be levied and collected in the same manner and under the same penalties as an assessment for a public improvement.
□ Compliant □Not compliant
G. 🗀 Prohibited signs:
The following types of signs or artificial lighting are prohibited:
(1) □ Billboards.
(2) ☐ Flashing or animated neon, LED, electronic reader board or electronic graphics or other artificial light sign or device. Flashing signs, including any sign or device on which the artificial light is not maintained stationary and constant in intensity and color at all times when in use.

(3) Internally illuminated (including neon) signs located on the exterior of buildings, except in the CC and M zening districts.
(4) ☐ Signs that compete for attention with or may be mistaken for a traffic signal.
(5) Outdoor signs made of impermanent materials, such as paper or cardboard.
(6) □ Sandwich board signs shall constitute prohibited signs; however, such signs shall be permitted in the DMU-1, DMU-2, RMU, OMU, CC, WF and M Districts upon the issuance of an administrative permit for same by the Chief Building Inspector. The standards applicable for such permits shall be on file in the Building Department.
Signsq. ft. Location Date Installed
Permit # Date Permit issued Date Permit expires
(7) Exterior signs that emit noise, sounds or smoke.
□ Compliant □Not compliant
H. Nonconforming sign:
(1) A nonconforming permanent sign, except for a freestanding sign in place at the time of enactment of this chapter, must be removed within 24 months of the enactment of this chapter.
□ Compliant □Not compliant
(2) All nonconforming temporary signs shall be removed by the effective date of this chapter.
(3) □The maintenance of such nonconforming signs may be permitted, but any sign once removed for purposes other than maintenance shall be deemed permanently removed and may be replaced only in accordance with the provisions of this section.
□ Compliant □Not compliant
I. Multiple occupancy overall sign plan:
When there are two or more occupants of a premises, such as a shopping center or strip mall, an overall plan for signage shall be required prior to installation or replacement of any individual sign. The overall plan shall satisfy all requirements and guidelines of this section. Individual signs shall be the same with regard to materials and color, but letter size and style may vary.
□ Compliant □Not compliant □

COMPLETED BY BLDG DEPT.
Date of ARB meeting:6/(8/2025
Date application is due to the Bldg. Dept: No later than 6/02/2005
Date application received by the Bldg. Dept:
Date application is determined to be complete:
Date of Public Notice
Date of Public Hearing
PUBLIC COMMENTS: Opened Date Date
Date Vote Vote
REFERED: ZBA
Disapproved: to
FOR THE FOLLOWING REASONS:
CONDITONS:
Permit #
Date Permit Issued: Date Permit Expires:
§140-15. Application Submittal Fees: ARB Fee: \$250 Receipt # & Date: # 02 (28 / 7 16 / 28)
□ ARB Fee: \$250 Receipt # & Date: # 02 128 / 7 10 / 25 Permit Fee: \$100 x 2 = 200 □ of C Fee: \$100 Receipt # & Date: 02040 / 5/20/25

MANNY A. CARMONA Chief Building Inspector To Whom It May Concern,

I, Dawn Ziccardi, authorize that the signage for 20 S. Broadway, Nyack, may be adhered to the brick wall in front of the building. The signage may not interfere with the windows or the detailed peek architecture.

Thank you,

Dawn Ziccardi

20 S. Broadway Owner

516-779-3985