### PERMIT EXPIRES TWO (2) YEARS FROM DATEOF ISSUANCE ONE SIX (6) MONTH EXTENSION MAY BE GRANTED PRIOR TO EXPIRATION DATE

### APPLICATION FOR BUILDING / DEMOLITION PERMIT

VILLAGE OF NYACK
9 North Broadway · Nyack, NY 10960
Tel 845-358-4249 · Fax 845-358-0672 · Email: <u>buildingdepartment@nyack-ny.gov</u>

OFFICAL USE ONLY	(75, 150 t) (20 t)
Land Use Board Review:	□Planning □ ZBA
Permit No	Application Date: 12/16/20
Fee Paid #30 #362	Receipt #: 14744
Inspector:	File #
Permit Granted For:	
Permit Denied For:  *Village Board, Planning Board, Zoning Board, Architectural Review F	Board decision date:
roperty Owner: MARYANN BARTELS ddress: 15 ORCHARD ST mail: wher/Tenant: MARYANN BARTELS ddress: 15 ORCHARD STREET mail: MABARTELS 1 @GMAIL. COM ontact Person: JAY K, The ISE	Cell Phone: 914-403 8677  Home Phone: N/4  Work Phone: 917-573 - 1728  Work Phone: Cell Phone: Phone:
oject Description Crustry Screened in Pour Salely With Screens in Rear	ich Change to Anderson Fixed Blad
stimated Construction Value: \$ 12,600	

Architect / Engineer:	NYS Lic
Address:	
Email:	Phone:
Builder / General Contractor: JAKLA CONSTRUCTION CO	and the same of th
Address: 73 BARDONIA RD BARDONIA	NY 1095W
Email: JAKLACONST@AOL.COM	Phone: 845-627 3151 CETALL 403
Plumber:	RC Lic #
Address:	TO LICH 1
Email:	Phone:
Heat / Cooling:	RC Lic #
Address:	TO LIVIT!
Email:	Phone:
Electrician:	RC Lic #
Address:	TO DIO II 1
Email:	Phone:
ZONING DISTRICT  Required  Existing  Coverage  Floor Area Ratio  Lot Area  Lot Width  Street Frontage  Front Yard Setback  Side Yard Setback  Total Side Yard Setback  Rear Yard Setback  Building Height – Feet  Building Height – Number of Stories  Residential Density	
Site Plan Application is also being made to the   Planning	Architectural Review Board

AFFIDAVIT	
State of New York)	
County of Rockland) SS	
Village of Nyack	
hack of a	
I, will Yhlese hoing duly	
agent of the owner) in fee of the premises to which this and it is an all the owner.	I am the owner (lessee, engineer, surveyor, architect, builder, o
manner of set forth in the application and in the plans and specification filed therewith other applicable laws, ordinances and regulations of the municipality. I also declare the	, and in accordance with State Uniform Building Code
other applicable laws, ordinances and regulations of the municipality. I also declare the occupied or used until I have obtained a Certificate of Occupancy.	at the structure or area described in this application will
a Confined a Confined to Occupancy.	application will not be
•	Signature and Mailing Address
	The state of the s
	( Jey ) Valuso.
	72 0
	1310arden Kel
	has a same
SWORN to before me this	Woodenia 114 10954
11.44	01000
day of Nec	20
	, 20
Witness:	
If not witnessed by Building Department personnel, Notary signature is required.	
/ Variation required.	
N. P. III	
Notary Public	

### APPLICATION INSTRUCTIONS

(See additional requirements when applying to land use Board)

1. In making this application, submit the following:

a. One (1) copy of this form.

b. Two (2) set of building plans for an internal building permit (only needing for building inspectors approval only or Ten (10) for Planning or Nine (9) for ARB or Nine (9) for ZBA

c. Two (2) copies of the plot plans.

- d. Copy of Rockland County licenses. (For each trade)
- e. Certificate of Liability, Certificate of Workman's Compensation, and Disability Benefits Insurance or Owner's affidavit.
- Plot plans drawn to scale, shall show area, dimension, and location of lot; size and exact location of proposed structures, additions or alterations; all existing structures , all existing structures on lot; streets, curbs, sidewalks, parking spaces driveway; yards and setback;

Building Plans drawn to scale shall show structural details, floor plans, elevation, plumbing, electrical, heating and ventilation details.

The NY.S. Department of Education Law states that a building permit may not be issued for any commercial structure or for a residence containing more than 1500 square feet of habitable space unless the building plans are prepared and signed by a New York State licensed engineer or registered architect.

No building permit of Certificate of Occupancy shall be issued by the Building Inspector unless all provisions of the Village of Nyack Zoning Code and the New York State Uniform Fire Prevention and Building Code are in compliance

Fees are based on cost of construction. (This office reserves the right to adjust any fee prior to issuing the Certificate of Occupancy if it is shown that the original fee was not sufficient to cover the actual cost.) Bills, invoices and other documentation must be submitted to substantiate both the Estimated Cost of Construction, as well as the Actual Cost of Construction.

Mandatory inspections are required for issuance of Certificate of Occupancy.

Underground utilities are required by the Zoning Code.

It shall be unlawful to use or permit the use of any building or premises or part thereof, hereafter created, erected, changed, converted or enlarged wholly or partly, in its use or structure, until a Certificate of Occupancy shall have been issued

This office reserves the right to require that the affidavit of compliance on the application for a Certificate of Occupancy be submitted

11. The building permit expires two years from the date of issuance. One six (6) month extension may be granted prior to be expiration date of the building permit (Renewal of all expired building permits requires a new application and fee.)

### \*\*Applicant Retain this page for reference purposes

### Mandatory Inspections of Construction You MUST schedule inspections prior to concealing affected areas

Other inspections will be made in some cases, but those listed below must be made or the Certificate of Occupancy may be withheld. Do not mistake an unscheduled inspection for one of those listed below. Unless a card is left on the job indicating approval of one of these inspections, it has not been approved and it is therefore improper to continue beyond that point of work. Any disapproved work must be re-inspected after the correction.

### Call ahead for all inspections:

- 1. Erosion Control: Silt fence and tree protection.
- 2. Footing Forms: When excavation is complete and forms are in place (before pouring) Rebar in place and hooked at all corners.
- 3. Foundation: Check for waterproofing, type of block, footing drains, insulation as needed.
- 4. Plumbing: Under Slab: Cast iron, copper, etc.
- 5. Gravel Under Slab: (Usually combined with (#3). Check for insulation as per Energy Code.
- Plumbing Rough In: All work that will be covered (enclosed) must be installed at this time.
- 7. HVAC Rough In: All work that will be covered must be installed at this time.
- 8. Framing: Call when frame is complete including fire-stop, bridging, collar ties, etc. before it is covered from the inside with insulation.
- 9. Insulation:
- 10. Plumbing Final: This can be combined with final. All fixtures to be installed at this time.
- 11. In Garage and where ever appropriate: Fire rated sheetrock to be inspected before painting.
- 12. Rough Grading: All surface water should be directed away from the building to an approved outlet, street, lawn, inlet, drainage swale, etc. This can be combined with final.
- 13. Final: Complete application for certificate of Occupancy, produce certified plot plan or as-built survey including outlet for footing drains to positive outflow. Provide Fire Underwriters Certificate. Building must be essentially complete with all utilities working.

### If Demolition Permit - Please submit the following:

The following items must be presented to the municipality before demolition can occur:

- 1. Asbestos abatement survey by a licensed practitioner.
- 2. Letters from utility companies that the gas, electric and water have been turned off.
- 3. Affidavit that the premise has been baited for rodents and vermin.
- 4. Approval from the Department of Environmental Management & Engineering for Sealing of Sewer line.

Rev. 02-01-12

### APPLICATION CHECKLIST FOR VILLAGE OF NYACK ARCHITECTURAL REVIEW BOARD

In accord with the Architectural Review Board's Rules and Regulations duly adopted by Resolution of the board pursuant to Village Code section 360-5.2(c)(4)(a), the following items are required to be included in applications considered by the Architectural Review Board.

### **ALTERATIONS AND NEW CONSTRUCTION REQUIREMENTS**

×	Provide $\underline{10}$ copies of photographs of the structure to be modified, as well as the buildings immediately adjacent to it. Note that larger images (8.5 x 11) are preferable so that they can be easily examined.
X	Provide 10 sets of scaled drawings showing the proposed work with enough detail to present an accurate representation of the intended alteration or new construction.
	The scaled drawings shall show details of proposed architectural elements, including profiles of cornices, moulding, trims, brackets, etc. All new materials and/or materials proposed to be changed must be identified on the drawings, and samples of these materials including siding, roofing, decking, railings, etc should be brought for review.
X	Provide <u>10</u> copies of catalogue cuts for elements such as doors, windows, columns, light fixtures and exterior mechanical fixtures (with clear depictions of screening materials for mechanical equipment). These manufacturer's cuts/descriptions should include photographs, dimensions, materials and other pertinent information.
X	A signed copy of this application checklist.
to alter	ms on this list are required elements of all applications for Architectural Review Board review relating rations or new construction. An application will not be considered complete until all elements are ed on an application. Applications submitted without the required elements may not be placed on the , but if they are placed on the agenda the Board may waive the provision of certain required element(s),

but also may, in the Board's sole discretion (based on the complexity of the project), instruct any applicant to return to a future meeting with the missing elements on the application, or reject an application for being incomplete without undertaking a review of the project with instructions to the Building Department not to

SIGN HERE ON THEIL

restore the item to a future agenda until a complete application is filed.

DATE 12/15/2020









Dealer: DYKES LUMBER CO., INC.

Quote #: 769

Print Date:

284 Route 59

### Andersen Windows - Abbreviated Quote Report

Project Name: JAKLA - 15 ORCHARD, UPPER NYACK

12/09/2020 Billing Address: Quote Date: Customer: Contact: Phone: JAKLA 12/09/2020 iQ Version: Fax: 20.0

Created By: Sales Rep: N 845,357,6000 Tallman, NY 10982 ME 0001 Item 400 Series

Q<sub>y</sub>

Item Size (Operation)

Trade ID:

050164

Promotion Code:

10

2143.87 \$

2143.87

**Unit Price** 

Ext. Price

Location

FWT29110/FWH2968 (S/AR)

RO Size = 2' 8 7/8" W x 8' 6 5/8" H Unit Size = 2' 8 1/8" W x 8' 6 1/16" H

Quote #: 769

Print Date:

12/09/2020

of Of

A

Page

iQ Version: 20.0

Anderser

Viewed from Exterior Mull Type: 3/4" 4 9/16 Fiberglass Reinforced Joining, Mull Priority: Horizontal Composite Unit, White/Pre-finished White, High Performance Low-E4\*High Performance Low-E4 Tempered Glass, No Grille, Mulling Location: Job Site, Unit U-Factor SHGC ENERGY STAR® Certified Zone: Northern Hardware Trim Set, FWH/FWO, RH, Tribeca - White Hinged Insect Screen, White 0.29 0.23 Yes



## Andersen Windows - Abbreviated Quote Report

# Project Name: JAKLA - 15 ORCHARD, UPPER NYACK

Dealer: DYKES LUMBER CO., INC. 845.357,6000 Tallman, NY 10982 284 Route 59 H Quote #: 769 Print Date: 12/09/2020 Phone: Billing Address: Quote Date: Customer: Contact: Trade ID: 050164 JAKLA 12/09/2020 Promotion Code: iQ Version: Fax: 20.0

0001 Item 400 Series Composite Unit, White/Pre-finished White, High Performance Low-E4\*High Performance Low-E4 Tempered Glass, No Grille, Mulling Location: Job Site,

Created By: Sales Rep.

Qty Item Size (Operation)

Location

Unit Price

Ext. Price

2143.87 \$

2143.87

FWT29110/FWH2968 (S/AR)

RO Size = 2' 8 7/8" W x 8' 6 5/8" H Unit Size = 2' 8 1/8" W x 8' 6 1/16" H

Viewed from Exterior Hardware Trim Set, FWH/FWO, RH, Tribeca - White Hinged Insect Screen, White

Mull Type: 3/4" 4 9/16 Fiberglass Reinforced Joining, Mull Priority: Horizontal

Unit U-Factor SHGC ENERGY STAR® Certified 0.29 0.23 Yes

Zone: Northern

Quote #: 769

Print Date:

12/09/2020

0

4

Page

iQ Version: 20.0

Anderser

Viewed from Exterior Item 0002 Composite Unit, White/White - Factory Painted, High Performance Low-E4\*High Performance Low-E4 Tempered Glass, No Grille, Perimeter Extension Jambs 4 9/16" White - Painted Complete Unit, Factory (Direct) Applied, Mulling Location: Factory (Direct), Mull Type: Narrow Transom, Mull Priority: 400 Series RO Size = 3' 5 3/8" W x 8' 0 5/8" H Unit Size = 3' 4 13/16" W x 8' 0 1/8" H Horizontal Zone: Northern
Unit U-Factor SHGC ENERGY STAR® Certified Perimeter Extension Jambs, White - Painted, 4 9/16", Factory (Direct) Applied, Complete Unit 0.27 9 0.34 P3560/A351 (F/S) Yes Item Size (Operation) Location 44 **Unit Price** 1112.92 Ext. Price 1112.92

N

400 Series

P3060/A31 (F/V)

60

1117,78

EA)

1117.78

RO Size = 3' 0 1/2" W x 8' 0 5/8" H Unit Size = 2' 11 15/16" W x 8' 0 1/8" H

Composite Unit, White/White - Factory Painted, High Performance Low-E4\*High Performance Low-E4\* Tempered Glass, No Grille, Perimeter Extension Jambs 4 9/16" White - Painted Complete Unit, Factory (Direct) Applied, Mulling Location: Factory (Direct), Mull Type: Narrow Transom, Mull Priority: Horizontal

Viewed from Exterior

Perimeter Extension Jambs, White - Painted, 4 9/16", Factory (Direct) Applied, Complete Unit Hardware Pack, PSA, Traditional Folding - White Insect Screen, White

Zone: Northern Unit U-Factor N -0.27 SHGC ENERGY STAR® Certified 0.34 Yes No

Viewed from Exterior Composite Unit, White/White - Factory Painted, High Performance Low-E4\*High Performance Low-E4 Tempered Glass, No Grille, Perimeter Extension Jambs 4 9/16" White - Painted Complete Unit, Factory (Direct) Applied, Mulling Location: Factory (Direct), Mull Type: Narrow Transom, Mull Priority: 0004 Item Zone: Northern Unit U-Factor Horizontal 400 Series RO Size = 3' 5 3/8" W x 8' 0 5/8" H Unit Size = 3' 4 13/16" W x 8' 0 1/8" H Hardware Pack, PSA, Traditional Folding - White Perimeter Extension Jambs, White - Painted, 4 9/16", Factory (Direct) Applied, Complete Unit Insect Screen, White 0.27 Qty N SHGC ENERGY STAR® Certified 0.34 P3560/A351 (F/V) No Yes Item Size (Operation) Location <del>(</del>1) **Unit Price** 1194.02 \$ Ext. Price 2388.04

Customer Signature

Total Load Factor

2.004

Tax (8.375%) Grand Total

60 CO CO

7,328.98

566.37

Subtotal

6,762.61

Dealer Signature

4

Page

<sup>\*\*</sup> All graphics viewed from the exterior

<sup>\*\*</sup> Rough opening dimensions are minimums and may need to be increased to allow for use of building wraps or flashings or sill panning or brackets or fasteners or other items.