

# Timberline® HDZ™ Shingles

## Benefits:

- **LayerLock™ Technology** — Proprietary technology mechanically fuses the common bond between overlapping shingle layers.
- **Up to 99.9% nailing accuracy** — The StrikeZone™ nailing area is so easy to hit that a roofer placed 999 out of 1,000 nails correctly in our test.<sup>1</sup>
- **WindProven™ Limited Wind Warranty** — When installed with the required combination of GAF Accessories, Timberline® HDZ™ Shingles are eligible for an industry first: a wind warranty with no maximum wind speed limitation.<sup>2</sup>
- Our legendary **Dura Grip™** sealant pairs with the smooth microgranule surface of the StrikeZone™ nailing area for fast tack. Then, an asphalt-to-asphalt monolithic bond cures for durability, strength, and exceptional wind uplift performance.
- **StainGuard® Algae Protection** — Helps protect the beauty of your roof against unsightly blue-green algae discoloration.<sup>3</sup>
- **High Performance** — Designed with Advanced Protection® Shingle Technology.
- **Seamless compatibility** — The new Timberline® HDZ™ Shingles are compatible with traditional Timberline HD® Shingles for the same look and feel homeowners and contractors rely on for beauty and endurance.<sup>4</sup>
- **Perfect Finishing Touch** — For the best look, use TimberTex® Premium Ridge Cap Shingles or TimberCrest™ Premium SBS-Modified Ridge Cap Shingles.

## Colors & Availability:



## Product details:

### Product/System Specifics

- Fiberglass asphalt construction
- Dimensions (approx.): 13 1/4" x 39 3/8" (337 x 1,000 mm)
- Exposure: 5 5/8" (143 mm)
- Bundles/Square: 3
- Pieces/Square: 64
- StainGuard® Algae Protection<sup>3</sup>
- Hip/Ridge: TimberTex®; TimberCrest™; Seal-A-Ridge®; Z®Ridge; Ridglass®
- Starter: Pro-Start®; QuickStart®; WeatherBlocker™

### Applicable Standards & Protocols:

- UL Listed to ANSI/UL 790 Class A
- State of Florida approved
- Classified by UL in accordance with ICC-ES AC438
- Meets ASTM D7158, Class H
- Meets ASTM D3161, Class F
- Meets ASTM D3018, Type 1
- Meets ASTM D3462<sup>5</sup>
- ICC-ES Evaluation Reports ESR-1475 and ESR-3267
- Meets Texas Department of Insurance Requirements
- ENERGY STAR® Certified (White Only) (U.S. Only); Rated by the CRRC; Can be used to comply with Title 24 cool roof requirements

<sup>1</sup> Results based on study conducted by Home Innovation Research Labs, an independent research lab, comparing installation of Timberline HD® Shingles to Timberline® HDZ™ Shingles on a 16-square roof deck using standard 4-nail nailing pattern under controlled laboratory conditions. Actual results may vary.

<sup>2</sup> 15-year WindProven™ limited wind warranty on Timberline® HDZ™ Shingles requires the use of GAF starter strips, roof deck protection, ridge cap shingles, and leak barrier or attic ventilation. See *GAF Roofing System Limited Warranty* for complete coverage and restrictions. Visit [gaf.com/LRS](http://gaf.com/LRS) for qualifying GAF products.

<sup>3</sup> StainGuard® algae protection is available only on shingles sold in packages bearing the StainGuard® logo. Products with StainGuard® algae protection are covered by a 10-year limited warranty against blue-green algae discoloration. See *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions.

<sup>4</sup> To be mixed on one roof, Timberline® HDZ™ Shingles and Timberline HD® Shingles must have matching 6-digit codes found on the end of the bundle. When mixed, always use Timberline HD® installation instructions.

<sup>5</sup> Periodically tested by independent and internal labs to ensure compliance with ASTM D3462 at time of manufacture.


<sup>6</sup> Lifetime refers to the length of warranty coverage provided and means as long as the original individual owner(s) of a single-family detached residence [or eligible second owner(s)] owns the property where the qualifying GAF products are installed. For other owners/structures, Lifetime coverage is not applicable. Lifetime coverage on shingles requires use of GAF Lifetime shingles only. See *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions. Lifetime coverage on shingles and accessories requires use of any GAF Lifetime Shingle and any 3 qualifying GAF accessories. See *GAF Roofing System Limited Warranty* for complete coverage and restrictions. Visit [gaf.com/LRS](http://gaf.com/LRS) for qualifying GAF products.

Note: It is difficult to reproduce the color clarity and actual color blends of these products. Before selecting your color, please ask to see several full-size shingles.



We protect what matters most™





# Timberline® HDZ™ Shingles

## Benefits:

- **LayerLock™ Technology** mechanically fuses the common bond between overlapping shingle layers.
- The added strength at the common bond powers the **StrikeZone™** — The industry's widest nailing area.
- **Up to 99.9% nailing accuracy** — The StrikeZone™ nailing area is so easy to hit that a roofer placed 999 out of 1,000 nails correctly in our test.<sup>2</sup>
- **Up to 30% faster nail fastening** thanks to the industry's largest nail zone.<sup>2</sup>
- Our legendary **Dura Grip™** sealant pairs with the smooth microgranule surface of the StrikeZone™ nailing area for fast tack. Then, an asphalt-to-asphalt monolithic bond cures for durability, strength, and exceptional wind uplift performance.
- **WindProven™ Limited Wind Warranty<sup>1</sup>** — When installed with the required combination of GAF Accessories, Timberline® HDZ™ Shingles are eligible for an industry first: a wind warranty with no maximum wind speed limitation.

## Installation:




### The StrikeZone™ Nailing Area

The industry's largest nailing area for up to 99.9% nail placement accuracy.<sup>2</sup>



### LayerLock™ Technology

Proprietary technology mechanically fuses the common bond between overlapping shingle layers.



1. Alignment guide
2. StrikeZone™ Nailing Area
3. Dura Grip™ Adhesive
4. LayerLock™ Technology
5. Smooth microgranule surface



Visit [gaf.com/LayerLock](https://gaf.com/LayerLock)

<sup>1</sup> 15-year WindProven™ limited wind warranty on Timberline® HDZ™ Shingles requires the use of GAF starter strips, roof deck protection, ridge cap shingles, and leak barrier or attic ventilation. See *GAF Roofing System Limited Warranty* for complete coverage and restrictions. Visit [gaf.com/LRS](https://gaf.com/LRS) for qualifying GAF products.

<sup>2</sup> Results based on study conducted by Home Innovation Research Labs, an independent research lab, comparing installation of Timberline HD® Shingles to Timberline® HDZ™ Shingles on a 16-square roof deck using standard 4-nail nailing pattern under controlled laboratory conditions. Actual results may vary.

We protect what matters most™





Retractable Motorized Canopy



# G150 RETRACTABLE AWNING

*beautiful fit and finish with commercial grade strength*

The G150 features beautiful traditional styling on a commercial grade frame. It will enhance the beauty of your home, whether open and providing 94% UV protection or closed and accenting your architecture.

Your G150 will be manufactured with a projection up to 14'6" and width up to 40', providing all the shade protection you desire. With arm components made from drop forged aluminum that is pound-for-pound four times stronger than typical castings, the G150 delivers unmatched durability and performance for those who demand the best. Add an optional remote controlled motor and a wind sensor for the ultimate convenient operation.



BROCHURE

Features

Gallery

- ☛ Powder coated Sand, Almond, White or Black/Brown frame colors
- ☛ Welded fabric top for invisible, super strong seams
- ☛ German engineering and design
- ☛ Attractive fabric wrapped, extra strength front bar
- ☛ Optional front bar drop screen for maximum shade
- ☛ Custom widths up to 40' in 1" increments
- ☛ Optional Weatherguard hood cover
- ☛ 6 Projections: 6'-11", 8'-6", 10'-2", 11'-8", 13'-2", 14'-6"
- ☛ 200+ Fabric colors
- ☛ Sunbrella® Fabric Showroom

## TECHNICAL RESOURCE CENTER

[G150 Wall Mount CAD Drawing](#)

[G150 Installation Instructions](#)

[Nulmage Retractable Patio Awning Warranty](#)

## RETRACTABLE AWNINGS

[Series K300 Retractable Awning](#)

[Series G250 Retractable Awning](#)

• [Series G150 Retractable Awning](#)

[Series 8700 Retractable Awning](#)

[Series 7700 Retractable Awning](#)

[Robustia Retractable Window Awning](#)

[Vivista Retractable Solar Screen](#)

[FlexShade Zip Solar Screens](#)

[FlexShade Non-Zip Solar Screens](#)

[Nulmage Retractable Awning Model Comparison Chart](#)


[Nulmage Retractable Patio Awning Warranty](#)

[Nulmage Robustia, Vivista and Fixed Awning Warranty](#)



[Sunbrella® Fabric Showroom](#)





# Marine Blue

Sunbrella Shade  
SKU: 4678-0000  
\$4.00 / sample  
SAMPLES IN STOCK

## Recommended Application

Best For: Awnings / Pergolas, Marine Tops and Covers

**Width \***

Choose an Option...

**Qty \***

1

Available in these colors



(43 Total) [Show All](#)



Sample Image of Cedar Fencing



Sample Image of Painted Galvanized Bollard Post

